Subject Index—Volume 26
(Page numbers starting with the letter S refer to the November supplement)

A

abdomen
  magnetic resonance imaging with oral contrast agent, S67
  pain with nausea and hematemesis in alcoholic woman, 203
  pneumoperitoneum detection with computed tomography, 574
academic radiology
  aging and renewal in, 858
  effectiveness of teaching in, 202
  fraudulent research in, and responsibility of journals, 586
  importance of medical writers, 90
  lure of, 752
  manpower crisis in, 620
  method for MR contrast media research, 65
  pathways to improved research, 111
  qualities of faculty members, 621
  technology assessment by researchers, 109
Ackerman, Robert H., Distinguished Scientist at Armed Forces Institute of Pathology, 853
adrenal glands, volume determination in, 465
affective disorders, positron emission tomography in, 184
albumin
  immune response to Albunex, S192
  labeled with gadolinium-DTPA, in detection of zonal renal ischemia, S133
  labeled with gadolinium-TRITA, S48
alcoholism, abdominal pain with nausea and hematemesis in, 203
American Association of Academic Chief Residents of Radiology (A^3CR^2)
  results of 1989 survey, 99
  results of 1990 survey, 773
American Board of Radiology
  mammography category in examinations, 98
  policy statement on diagnostic radiology, 389
  and Residency Review Committee, 1029
AMI-25
  effects on magnetic resonance images, S257
  renal tolerance of, 879
aminotrizoate, urinary excretion affected by electric fields, 157
aneurysm
  abdominal aorta, prognosis of, 612
  portal vein, 203
angiocardiography in children, comparison of iohexol and diatrizoate in, 665
angiography
  anticoagulant effects of contrast media in syringes for, 417
  in blood flow rate determination, 207
  cerebral, blood-brain barrier damage from contrast media in, 1091
  and clot formation in catheters, S96, S103
  coronary
    and effects of contrast media in denervated heart, S118
    geometric quantitative, 649
    sodium addition to contrast media in, 888
  cost profile of, 490
  digital subtraction, cross-sectional area measurements in, 119
  femoral, muscular reactions to, S115
  hemodynamic and electrophysiologic effects of iodixanol and iopamidol in, 715
  magnetic resonance, of brain vessels, 258
  in platelet aggregation studies after aortic endothelial injury, 655
angioscopy, carbon dioxide in, 874
animal studies
  blood-brain barrier affected by contrast media, 1091
  contrast media effects in gentamicin nephropathy, 951
  early experimental periostitis detection with MRI, 304
  electric fields affecting urinary excretion of contrast media, 157
  embolization of platelets after aortic endothelial injury, 655
  enhanced tissue relaxation with BSA-(ITCB-DTPA-Gd), 674
  evaluation of gadolinium-DTPA-polylysine, 969
  evaluation of left ventricular hypertrophy with MRI, 382
  gadolinium-DTPA MRI studies of cardiac ischemia and reperfusion, 1060
  gallbladder sclerotherapy in pigs, 804
  geometric quantitative coronary arteriography, 649
  glucose homeostasis affected by magnetic fields, 1095
  hemodynamic and electrophysiologic effects of iodixanol and iopamidol, 715
  immunogenicity of gadolinium-based contrast agents, 1035
  induction of fracture healing, 470
  intracellular sodium affected by cardiac pacing, 1079
  intravenous gadolinium affecting magnetic resonance appearance of CSF, 671
  intravenous hyperosmolar contrast media affecting blood viscosity, 220
  iohexol effects on renal size, 992
  ioxaglate-induced renal tubular changes, 35
  lidocaine effects on meninges, 745
  liver abscess detection with perfluorooctylbromide in computed tomography, 792
  magnetic resonance chemical shift imaging of atherosclerotic plaques, 703
  manganese dipyridoxyl diphosphate in MRI studies of liver, 569
  method for MR contrast media research, 65
  morphology of elastase-induced emphysema, 446
  myocardial collagen affecting NMR relaxation times, 227
  nephrotoxicity of contrast agents, 325
  nonionic and ionic contrast agents in lungs, 134
  paired graft thrombosis, 254
  PEG-ferrioxamine and renal MRI contrast agent, 50
  percutaneous gallstone lithotripsy, 454
  petrosal sinus catheterization in sheep, 825
  phosphonate-modified gadolinium-DTPA, 143
  quantitation of myocardial infarction size with MRI, 1065
  renal failure evaluation with MRI, 22
  renal tolerance of AMI-25, 879
  renal tubular vacuolization from contrast media, 882
  silicone prepolymer system injected into gallbladder, 902
  sodium addition to nonionic contrast media, 888
  sodium MRI of neuroblastoma, 233
  steroid pretreatment affecting renal effects of contrast media, 1083
  toxicity of liposomal gadolinium-DTPA, 960
  toxicity of two MRI contrast agents, 224
  urokinase compared to t-PA for thrombolysis, 46
  white matter lesions detected with MRI, 317
antibodies
  monoclonal, in radioimmunotherapy, 755
  reactive to gadolinium-DTPA, induced in animals, 1035
anticoagulant effects of contrast media, S92
  in angiography syringes, 417
anxiety disorders, positron emission tomography in, 184
aorta
  abdominal, prognosis of aneurysms in, 612
  flow analysis in dissecting aneurysms, cine phase-contrast MRI in, 1071
aortic arch, angle measurements in branches of, 128

Subject Index—Volume 26
(Page numbers starting with the letter S refer to the November supplement)

A

abdomen
  magnetic resonance imaging with oral contrast agent, S67
  pain with nausea and hematemesis in alcoholic woman, 203
  pneumoperitoneum detection with computed tomography, 574
academic radiology
  aging and renewal in, 858
  effectiveness of teaching in, 202
  fraudulent research in, and responsibility of journals, 586
  importance of medical writers, 90
  lure of, 752
  manpower crisis in, 620
  method for MR contrast media research, 65
  pathways to improved research, 111
  qualities of faculty members, 621
  technology assessment by researchers, 109
Ackerman, Robert H., Distinguished Scientist at Armed Forces Institute of Pathology, 853
adrenal glands, volume determination in, 465
affective disorders, positron emission tomography in, 184
albumin
  immune response to Albunex, S192
  labeled with gadolinium-DTPA, in detection of zonal renal ischemia, S133
  labeled with gadolinium-TRITA, S48
alcoholism, abdominal pain with nausea and hematemesis in, 203
American Association of Academic Chief Residents of Radiology (A^3CR^2)
  results of 1989 survey, 99
  results of 1990 survey, 773
American Board of Radiology
  mammography category in examinations, 98
  policy statement on diagnostic radiology, 389
  and Residency Review Committee, 1029
AMI-25
  effects on magnetic resonance images, S257
  renal tolerance of, 879
aminotrizoate, urinary excretion affected by electric fields, 157
aneurysm
  abdominal aorta, prognosis of, 612
  portal vein, 203
angiocardiography in children, comparison of iohexol and diatrizoate in, 665
angiography
  anticoagulant effects of contrast media in syringes for, 417
  in blood flow rate determination, 207
  cerebral, blood-brain barrier damage from contrast media in, 1091
  and clot formation in catheters, S96, S103
  coronary
    and effects of contrast media in denervated heart, S118
    geometric quantitative, 649
    sodium addition to contrast media in, 888
  cost profile of, 490
  digital subtraction, cross-sectional area measurements in, 119
  femoral, muscular reactions to, S115
  hemodynamic and electrophysiologic effects of iodixanol and iopamidol in, 715
  magnetic resonance, of brain vessels, 258
  in platelet aggregation studies after aortic endothelial injury, 655
angioscopy, carbon dioxide in, 874
animal studies
  blood-brain barrier affected by contrast media, 1091
  contrast media effects in gentamicin nephropathy, 951
  early experimental periostitis detection with MRI, 304
  electric fields affecting urinary excretion of contrast media, 157
  embolization of platelets after aortic endothelial injury, 655
  enhanced tissue relaxation with BSA-(ITCB-DTPA-Gd), 674
  evaluation of gadolinium-DTPA-polylysine, 969
  evaluation of left ventricular hypertrophy with MRI, 382
  gadolinium-DTPA MRI studies of cardiac ischemia and reperfusion, 1060
  gallbladder sclerotherapy in pigs, 804
  geometric quantitative coronary arteriography, 649
  glucose homeostasis affected by magnetic fields, 1095
  hemodynamic and electrophysiologic effects of iodixanol and iopamidol, 715
  immunogenicity of gadolinium-based contrast agents, 1035
  induction of fracture healing, 470
  intracellular sodium affected by cardiac pacing, 1079
  intravenous gadolinium affecting magnetic resonance appearance of CSF, 671
  intravenous hyperosmolar contrast media affecting blood viscosity, 220
  iohexol effects on renal size, 992
  ioxaglate-induced renal tubular changes, 35
  lidocaine effects on meninges, 745
  liver abscess detection with perfluorooctylbromide in computed tomography, 792
  magnetic resonance chemical shift imaging of atherosclerotic plaques, 703
  manganese dipyridoxyl diphosphate in MRI studies of liver, 569
  method for MR contrast media research, 65
  morphology of elastase-induced emphysema, 446
  myocardial collagen affecting NMR relaxation times, 227
  nephrotoxicity of contrast agents, 325
  nonionic and ionic contrast agents in lungs, 134
  paired graft thrombosis, 254
  PEG-ferrioxamine and renal MRI contrast agent, 50
  percutaneous gallstone lithotripsy, 454
  petrosal sinus catheterization in sheep, 825
  phosphonate-modified gadolinium-DTPA, 143
  quantitation of myocardial infarction size with MRI, 1065
  renal failure evaluation with MRI, 22
  renal tolerance of AMI-25, 879
  renal tubular vacuolization from contrast media, 882
  silicone prepolymer system injected into gallbladder, 902
  sodium addition to nonionic contrast media, 888
  sodium MRI of neuroblastoma, 233
  steroid pretreatment affecting renal effects of contrast media, 1083
  toxicity of liposomal gadolinium-DTPA, 960
  toxicity of two MRI contrast agents, 224
  urokinase compared to t-PA for thrombolysis, 46
  white matter lesions detected with MRI, 317
antibodies
  monoclonal, in radioimmunotherapy, 755
  reactive to gadolinium-DTPA, induced in animals, 1035
anticoagulant effects of contrast media, S92
  in angiography syringes, 417
anxiety disorders, positron emission tomography in, 184
aorta
  abdominal, prognosis of aneurysms in, 612
  flow analysis in dissecting aneurysms, cine phase-contrast MRI in, 1071
aortic arch, angle measurements in branches of, 128

arachnoiditis, and lidocaine toxicity in epidural space, 745
arthritis, juvenile rheumatoid, bone growth disturbance in, 727
aspiration catheters, in percutaneous thrombolysis, 557
aspiration of contrast media, agents affecting lungs in, 134
Association of University Radiologists
  abstracts of annual meeting in 1991, 1122
  Gold Medal Awards, 1113
  Memorial Award in 1991, 1035
  proceedings of annual meeting in 1991, 1111
atherosclerosis, magnetic resonance chemical shift imaging of plaques in, 703
Australasia, postgraduate radiology in, 761

B

balloon catheter, for sclerotherapy in pigs, 804
biliary tract. See also gallstones
  hepatobiliary toxicity of 5-fluoro-2′-deoxyuridine, 461
biostereometric analysis, as breast cancer screen, 528
blood
  anticoagulant effects of contrast media, S92
    in angiography syringes, 417
  coagulation studies with MRI, 343
  flow rate determination with angiography, 207
  viscosity affected by contrast media, 220, 810
blood-brain barrier
  contrast media affecting, 1091
  effects of iopromide affected by low pH, S113
blood-pool imaging
  magnetic resonance contrast agents in, S46
  new iodinated polymer in, S53, S57
  perfluorooctylbromide in, and side effects in swine, S122
  ultrasonography with SH U 508 A, S188
bone
  fracture healing induction in, 470
  growth disturbance in juvenile rheumatoid arthritis, 727
  mineral differentiation from synthetic apatite with MRI, 946
  remodeling in hypervitaminosis D3, 213
  strength reduction from demineralization, 934
book reviews
  Bone Tumors: Clinical, Radiologic, and Pathologic Correlations (Mirra), 388
  Christensen's Physics of Diagnostic Radiology, 4th ed. (Curry, Dowdey, and Murray), 517
  Diagnostic Challenges in Radiology (Baker), 282
  Digital Imaging in Diagnostic Radiology (Newell & Kelsey), 850
  Essentials of Neuroimaging (Kirkwood), 701
  Interventional Computed Tomography (Rainer, Seibel, Dietrich & Gronemeyer), 1028
  Magnetic Resonance Imaging of the Brain and Spine (Atlas), 916
  MRI: Musculoskeletal System (Beltran), 772
  Physics of Medical X-Ray Imaging (Hasegawa), 702
  Radiographic Measurements (Rosenberg), 283
  Sectional Anatomy by MRI/CT (El-Khoury, Bergman & Montgomery), 850
  Ultrasonography in Obstetrics and Gynecology, 2nd ed. (Callen), 622
botulinum toxin, affecting muscle function, 58
brain. See also blood-brain barrier
  experimental white matter lesions detected with MRI, 317
  glucose metabolism affected by gadolinium-DTPA and -DOTA, 1087
  noninvasive studies of, 258
  perfusion imaging with nonionic agents in MRI, S250
  tumors of
    localization with iodinated contrast agents, S120
    magnetization transfer contrast in, S248
breast
  cancer of
    biostereometric analysis in, 528
    comprehensive detection system, 598
    diagnosis with expert learning system, 534
  color mammography, 521
  magnetic resonance spectroscopy in diseases, 1053
  screening for nonpalpable tumors in Sweden, 174
  ultrasonic phase aberration profiles in, 782
bronchiolitis detection, observer variation in, 115

C

calcium phosphate, fibrous, in induction of fracture healing, 470
carbon dioxide, as angioscopic medium, 874
carboxamides, primary, nonionic monomeric contrast media based on, S159
carboxymethyldextran, iodinated, as blood-pool contrast agent, S53, S57
cardiomegaly detection, in digital chest radiographs, 546
catheter systems
  ballood catheter for sclerotherapy of gallbladder, 804
  in percutaneous thrombolysis, 557
catheterization
  cardiac
    in children, comparison of iohexol and diatrizoate in, 665
    and clot formation in catheters, S96, S103
  petrosal sinus, in sheep, 825
cerebrospinal fluid, magnetic resonance appearance affected by intravenous gadolinium, 671
chemical shift imaging, magnetic resonance
  in animals, phantoms, and humans, 1041
  of atherosclerotic plaques, 703
chemotherapy, hepatobiliary toxicity of 5-fluoro-2′-deoxyuridine in, 461
chest radiography
  cardiomegaly determination in, 546
  observer variation in bronchiolitis detection, 115
cholecystography, oral, compared to ultrasonography
  in postlithotripsy evaluation, 636
  in screening for extracorporeal shock wave lithotripsy, 633
cine phase-contrast MRI, for analysis of aortic flow, 1071
citrate in contrast media, myocardial effects of, S110
clinical pathologic cases
  abdominal pain with nausea and hematemesis in alcoholic woman, 203
  bilateral fetal nephromegaly, 842
  deep soft tissue mass of thigh, 92
  neonatal periosteal reaction of ribs, 279
  sternal mass in Paget's disease, 615
coagulation
  anticoagulant effects of contrast media in angiography syringes, 417
  contrast media affecting, S92, S103
    in angiography, S96
  studies with MRI, 343
coagulation factor XII, contrast media affecting, S23
collagen, myocardial, and NMR relaxation times, 227
color mammography, 521
communications technology, multimedia, in diagnostic imaging, 377
computed radiography. See also digital radiology
  analog and digital image acquisition in, 438
computed tomography
  in adrenal gland volume determination, 465
  blood-pool contrast media in, S55, S57
  and brain tumor localization with iodinated contrast agents, S120
  comparison of diatrizoate and iohexol in, S205
  comparison of iodinated and noniodinated contrast media in, S162
  cost profile of, 490

in early experimental periostitis, 304
in elastase-induced emphysema, 446
emergency scans interpreted by residents, 374
gallstone appearance in, and susceptibility to fragmentation by lasers, 799
in glomerular filtration rate determinations, S72
in liver abscess detection, perfluorooctylbromide in, 792
nephrologic tolerance of iopromide and iotrolan in, S83
in Operation Desert Storm, 854
phantom for gallstone studies, 162
in phantom studies of pulmonary edema, 149
in pneumoperitoneum detection, 574
preoperative, for transhiatal esophagectomy, 987
in renal lymphomas, 840
scan orientation and information loss in, 427
single-photon emission (SPECT) imaging of brain function, 258
ultrafast, in left ventricular volume measurement, 28
visualization and localization of lesions in, 285
computer use in cardiomegaly detection, 546
cone beam tomography of heart, in single-photon emission-computed tomography, 681
contrast media. See also specific contrast agents
affecting blood-brain barrier, 1091
anticoagulant effects of, S92
in angiography syringes, 417
cell-specific agents failing to detect hepatitis, S139
citrate in, myocardial effects of, S110
and clot formation in angiography catheters, S96
effects on coagulation factor XII, S23
effects on granulocyte adherence, S29
extrarenal clearance of, S75
extravasation of, cutaneous ulceration from, 13
hyperosmolar intravenous, affecting blood viscosity, 220
iodinated, affecting leukotriene B_4, 348
low-osmolar, selective use of, 17
mechanical injector for, 748
in myocardial perfusion visualization with MRI, 551
nephrotoxicity of, 325
new nonionic agents, S156
nonionic and ionic agents in lungs, 134
oral
in abdominal MRI, S67
in gastrointestinal MRI, S65
osmolality affecting nephrotoxicity, S86
osmolality reduction in, S2
procoagulant activity of, S103
reactions to, S16, 402
activation of plasma contact system in, S20
delayed symptoms in, S37
and iohexol in reactors to ionic media, 411
osmotic phenomena in, S26
rates of, 404
studies in Japan, S33
renal clearance of, 564
renal effects of, S87
tubular vacuolization in, 882
renal pharmacokinetics of, S80
research meeting of 1991, S1
research method in MRI imaging, 65
safety of, 401
sodium addition to nonionic agents, 888
in ultrasonography, S5
urinary excretion affected by electric fields, 157
coronary arteriography
digital subtraction, in cross-sectional area measurements, 119
geometric quantitative, 649
sodium addition to contrast media in, 888
corticosteroid pretreatment, and renal effects of contrast media, 1083
cost of imaging, relative value scale in, 490
cost-performance assessment in diagnostic imaging, S12
critical reviews
clinical history affecting radiograph interpretations, 512
comparison of MRI and ultrasonography in prostate cancer, 1024
computed tomography in renal lymphoma, 840
evaluation of left ventricular hypertrophy with MRI, 382
intraoperative sonography in spinal canal stenosis and herniated disks, 696
magnetic resonance spectroscopy combined with MRI, 769
prognosis of abdominal aortic aneurysms, 612
risk communication as political dialogue, 698
two T2 component values in tumor diagnosis with MRI, 274
cruciate ligament injury, graded stress radiography of, 926

D

defecography in normal volunteers, 581
dental materials affecting MRI images, 40
Desert Storm, computed tomography and satellite teleradiology in, 854
dextran
iodinated polymer in blood-pool imaging, S53, S57
labeled with gadolinium-DTPA, S50
labeled with gadolinium-TRITA, S48
diatrizoate
adverse reactions to, 404
affecting blood viscosity, 220
affecting platelets, S101
anticoagulant effects of, S92
and clot formation in angiography catheters, S96
compared to iohexol
in children, 665
in computed tomography, S205
effects in lungs, 134
extrarenal clearance of, S75
in gastrointestinal tract examinations, S182
intrauterine injection of, electrocardiogram changes from, 579
nephrotoxicity compared to iohexol, S86
renal clearance of, 564
renal effects of
after pretreatment with steroids, 1083
in gentamicin nephropathy, 951
tubular vacuolization in, 882
toxicity of, 224
diffusion coefficients, measurement in body tissue, 540
digital radiography
hardcopy recording technologies in, 179
interactive grayscale display workstations in, 479
photostimulable phosphor systems in, 590
disclosure to patients, guidelines for, 694
display workstations, interactive grayscale, 479
doxorubicin, urinary excretion affected by electric fields, 157
dysprosium-DTPA, effects on magnetic resonance images, S257
dysprosium-DTPA-BMA
in brain perfusion imaging, S250
in reperfused myocardium imaging, S239

E

echoplanar imaging of myocardial ischemia, S236
edema, pulmonary
model simulations of, 149
neurogenic, 499

editorials, S1, 109, 401
education for radiology
in Australasia, 761
categorical format for teaching cardiac radiology, 1029
computerized database for counseling medical students, 104
curriculum for musculoskeletal radiology, 1019
emergency CT scans interpreted by residents, 374
and evaluation of behavior patterns, 776
global program for, 85
in-house testing in emergency radiology, 836
Paul and Juhl Club for residents, 386
and residents entering fellowship programs, 1032
and selection of residents, 390, 910
staffing and training for emergency radiology, 86
efficacy evaluation
in diagnostic imaging, 507
in magnetic resonance imaging, 829
elastase-induced emphysema, morphology of, 446
electric fields affecting urinary excretion of contrast media, 157
electrical nerve stimulation, transcutaneous, in biliary lithotripsy, 866
electrocardiography, in hysterosalpingography, 579
embolism, and platelet aggregation after aortic endothelial injury, 655
emergency CT scans, interpreted by residents, 374
emergency radiology
in-house testing for, 836
staffing and training for, 86
emphysema, elastase-induced, morphology of, 446
engineering, and advances in imaging technology, 485
errata, 539
erythrocytes, contrast media affecting, 742, 810
esophagectomy, transhiatal, and preoperative computed tomography, 987
esophagus, magnetic resonance imaging of, 195
evaluation studies of clinical efficacy of diagnostic imaging, 507
evoked potentials, magnetic resonance imaging affecting, 432
extravasation of contrast media
cutaneous ulceration from, 13
toxicity of two MRI agents, 224
eye, retinal tacks as tolerable risk in MRI, 1

F

femoral angiography, muscular reactions to contrast media in, S115
ferrioxamine
complex with polyethylene glycol, as renal MRI contrast agent, 50
hepatic transport of derivatives, S146
fetus
bilateral nephromegaly in, 842
body composition estimation with ultrasonography, 722
stomach morphology and growth, 998
ultrasound attenuation by liver, 8
5-fluoro-2′-deoxyuridine, hepatobiliary toxicity of, 461
fractal dimensions of sialographic images, 894
fracture healing, osteoinductive agents in, 470
fraudulent research, and responsibility of journals, 586

G

gadodiamide for MRI enhancement, clinical trial of, 980
gadolinium
intravenous, and magnetic resonance appearance of CSF, 671
relaxometry of protein-gadolinium chelate conjugates, 820
gadolinium-DOPT
and metabolism of glucose and phosphatidylinositols, S209
renal handling of, S129
gadolinium-DOTA
affecting neural tissue metabolism, 1087
in blood-pool imaging, S46
in quantitation of infarct size with MRI, 1065
gadolinium-DTPA
affecting neural tissue metabolism, 1087
albumin labeled with, in detection of zonal renal ischemia, S131
BSA-(ITCB-DTPA-Gd) for enhanced tissue relaxation, 674
compared to iopromide in CT, S162
dextran labeled with, S50
effects on magnetic resonance images, S257
in glomerular filtration rate determination, S134
in heart studies with MRI after ischemia and reperfusion, 1060
immunogenicity of, 1035
liposomal
improved preparation method, 242
toxicity studies, 960
magnetization transfer contrast
in brain tumor imaging, S248
in whole body imaging, S255
and metabolism of glucose and phosphatidylinositols, S209
nonionic bisamide complexes, S217
pharmacokinetics in chronic renal failure, 975
phosphonate-modified, 143
for infarct imaging, S242
polylysine linked to
evaluation of, 969
in pulmonary disease diagnosis, S42
in renal failure evaluation with MRI, 22
renal tubular vacuolization from, 882
safety of 0.3 mmol/kg dose, S221
and short repetition time inversion recovery in MRI, 734
toxicity of, 224
gadolinium-DTPA-BMA
in brain perfusion imaging, S250
in reperfused myocardium imaging, S239
gadolinium-HP-DO3A, toxicity of, 224
gadolinium-TRITA, dextran and albumin labeled with, S48
gadoteridol injection, safety and efficacy of, S212
gallbladder
sclerotherapy in pigs, 804
silicone prepolymer system injected into, 902
gallstones
asymptomatic, prevalence of, 939
extracorporeal shock wave lithotripsy in
and evaluation for retreatment, 636
and screening with ultrasonography or oral cholecystography, 633
transcutaneous electrical nerve stimulation in, 866
percutaneous lithotripsy in, 454
phantom for CT studies, 162
susceptibility to lasers, 799
gastrointestinal tract
comparison of ionic and nonionic contrast agents in, S182
evacuation proctography in normal volunteers, 581
intestinal follow-up studies with iohexol and iopentol, S177
magnetic resonance imaging of, 195
perfluorooctylbromide as oral contrast agent in MRI, S65
glucose metabolism
gadolinium-DTPA and Gd-DOTA affecting, S209
hippocampal, affected by gadolinium-DTPA and -DOTA, 1087
magnetic fields affecting, 1095
glycogen, postnatal liver content of, and acoustic attenuation, 8
granulocyte adherence, contrast media affecting, S29
growth
disturbance in juvenile rheumatoid arthritis, 727
of fetal stomach, 998
growth factors, in cutaneous wound healing, 604

H

heart
  cardiomegaly detection in digital chest radiographs, 546
  catheterization of
    in children, comparison of iohexol and diatrizoate in, 665
    and clot formation in catheters, S96, S103
  citrate in contrast media affecting, S110
  collagen concentration and NMR relaxation times, 227
  cone beam tomography using SPECT, 681
  contrast-enhanced MRI of hypoperfused myocardium, 551
  echoplanar imaging in ischemia studies, S236
  hemodynamic and electrophysiologic effects of iodixanol and iopamidol, 715
  identification of left ventricular borders with spin-echo MRI, 295
  infarct imaging with phosphonate-modified Gd-DTPA, 143, S242
  ischemia and reperfusion studies with gadolinium-DTPA MRI, 1060
  left ventricular hypertrophy evaluation with MRI, 382
  left ventricular volume measurement, 28
  nuclear medicine programs, 1009
  pacing affecting intracellular sodium, 1079
  quantitation of infarct size with MRI, 1065
  reperfused infarction studies with MRI, S239
  transplantation of, and effects of contrast media in coronary angiography, S118
hepatic arterial circulation, 337
hepatitis detection failure with cell-specific contrast agents, S139
history of patient, affecting radiograph interpretations, 512
history-taking, importance of, 699
Hodgkin disease, mediastinal bulk in, 1101
Holt, John Floyd, Gold Medal Award, 1113
hormones
  magnetic fields affecting, 1095
  pituitary output sampling in sheep, 825
hyperthermia, malignant, 1013
hysterosalpingography, electrocardiogram changes in, 579

I

interdigitation-fusion vesicles
  biodistribution and imaging properties of, S169
  iodine:lipid ratios in, S167
interventional radiology
  follow-up studies in, 201
  gallbladder sclerotherapy in pigs, 804
  percutaneous mechanical thrombolysis, 557
Intestines, magnetic resonance imaging of, 195
iodamide, affecting leukotriene B_4, 348
iodinated polymer, as blood-pool contrast agent, S53, S57
iodine:lipid ratios, in interdigitation-fusion vesicles, S167
iodipamide ethyl ether particles in ultrasonography, S194
iodixanol
  effects on blood-brain barrier, 1091
  hemodynamic and electrophysiologic effects of, 715
  safety and tolerability of, S201
iohexol
  adverse reactions to, 404
  affecting erythrocytes and blood viscosity, 742, 810
  affecting leukotriene B_4, 348
  affecting platelets, S101
  affecting renal size, 992
  anticoagulant effects of, S92
  and clot formation in angiography catheters, S96
  compared to diatrizoate
    in children, 665
    in computed tomography, S205
  effects in lungs, 134
  effects on blood-brain barrier, 1091
  experimental nephrotoxicity of, 325
  extrarenal clearance of, S75
  in femoral angiography, muscular reactions to, S115
  and glomerular filtration rate determination with single blood sample, 332
  in intestinal follow-up studies, S177
  nephrotoxicity compared to diatrizoate, S86
  renal effects of, S87
    after pretreatment with steroids, 1083
    in gentamicin nephropathy, 951
    tubular vacuolization in, 882
  sodium addition to, 888
  urinary excretion affected by electric fields, 157
  use in reactors to ionic media, 411
iomeprolo, affecting leukotriene B_4, 348
iopamidol
  adverse reactions to, 17
  affecting erythrocytes and blood viscosity, 742, 810
  affecting leukotriene B_4, 348
  anticoagulant effects of, S92
  and clot formation in angiography catheters, S96
  extrarenal clearance of, S75
  in gastrointestinal tract examinations, S182
  hemodynamic and electrophysiologic effects of, 715
  renal clearance of, 564
iopentol
  citrate in, myocardial effects of, S110
  extrarenal clearance of, S75
  in intestinal follow-up studies, S177
iopromide
  compared to noniodinated agents in CT, S162
  effects on blood-brain barrier affected by low pH, S113
  extrarenal clearance of, S75
  in liposomes, S172
  nephrologic tolerance in computed tomography, S83
  renal tubular vacuolization from, 882
iothalamate
  effects in lungs, 134
  experimental nephrotoxicity of, 325
  in femoral angiography, muscular reactions to, S115
  renal effects of, S87
ioversol, effects on blood-brain barrier, 1091
ioxaglate
  affecting erythrocytes and blood viscosity, 742, 810
  affecting leukotriene B_4, 348
  affecting platelets, S101
  anticoagulant effects of, S92
  and clot formation in angiography catheters, S96
  experimental nephrotoxicity of, 325
  extrarenal clearance of, S75
  renal effects of, S87
    tubular changes in rat, 35
  urinary excretion affected by electric fields, 157
iron, effects on magnetic resonance images, S257

J

journal responsibility, in fraudulent research, 586

K

kappa use in statistics, 78
kidneys
  acute failure evaluation with MRI, 22
  bilateral fetal nephromegaly, 842
  clearance of contrast media, 564
  contrast media affecting, S87
    after pretreatment with steroids, 1083
    in gentamicin nephropathy, 951
    tubular vacuolization in, 882
  electric modification of function, 157
  glomerular filtration rate determinations, S72, 332
    gadolinium-DTPA in, S134
  handling of gadolinium-DOPT, S129
  ioxaglate-induced changes in proximal tubule, 35
  lymphomas of, computed tomography of, 840
  nephrotoxicity of contrast agents, 325
    with low osmolality and high osmoality agents, S86
  pharmacokinetics of contrast media, S80
    with gadolinium-DTPA in chronic renal failure, 975
  size affected by iohexol, 992
  studies with PEG-ferrioxamine in MRI, 50
  tolerance of AMI-25, 879
  tolerance of iopromide and iotrolan, S83
  transplant rejection, Doppler sonography in, 422
  zonal ischemia detection with MRI, S131

L

lanthanide complexation with new DTPA-bisamide ligands, S226, S229
lasers
  homium, in vascular tissue ablation, 660
  pulsed dye, in gallstone fragmentation, 799
leg. See lower limb
letters to the editor, 96, 206, 624, 851, 917
leukotriene B_4, iodinated contrast media affecting, 348
lidocaine, effects on meninges, 745
liposomes
  gadolinium-DTPA in
    improved preparation method, 242
    toxicity studies, 960
  interdigitation-fusion vesicles, S167, S169
  iopromide-carrying, S172
  paramagnetic, relaxometry of, S260
lithotripsy
  extracorporeal shock wave
    and evaluation for retreatment, 636
    and screening with ultrasonography or oral cholecystography, 633
    transcutaneous electrical nerve stimulation in, 866
  percutaneous, in gallstones, 454
liver
  abscess detection with perfluorooctylbromide in computed tomography, 792
  cell-specific contrast agents failing to detect hepatitis, S139
  chemical shift magnetic resonance imaging of, 1041
  clinical applications of MRI studies, 266
  hepatic arterial circulation, 337
  hepatobiliary toxicity of 5-fluoro-2′-deoxyuridine, 461
  manganese-DPDP in MRI studies, 569
    in focal hepatic disease, S148
    in tumors, S142
  postnatal glycogen decline in, and acoustic attenuation, 8
  transport of ferrioxamine B derivatives, S146
  visualization and localization of lesions with CT, 285
lower limb
  deep soft tissue mass of thigh, 92
  malformations with arterial abnormalities, 364
  muscular reactions to contrast media in femoral angiography, S115
  standardized technique for radiography, 71
lungs
  disease diagnosis with polylysine-(Gd-DTPA), S42
  edema of
    model simulations of, 149
    neurogenic, 499
  morphology of elastase-induced emphysema in, 446
  nonionic and ionic contrast agents in, 134
  searching for nodules in, 777

M

magnetic fields affecting glucose homeostasis, 1095
magnetic resonance imaging
  in adrenal gland volume determination, 465
  affecting evoked potentials, 432
  of alimentary tube, 195
  of brain function, 258
  chemical shift
    in animals, phantoms, and humans, 1041
    of atherosclerotic plaque, 703
  cine phase-contrast analysis of aortic flow, 1071
  in coagulation studies, 343
  combined with magnetic resonance spectroscopy, 769
  compared to ultrasonography in prostate cancer, 1024
  contrast media research in rats, 65
  dental materials affecting, 40
  in early experimental periostitis, 304
  echoplanar technique in myocardial ischemia, S236
  efficacy studies of, 829
  enhanced tissue relaxation with BSA-(ITCB-DTPA-Gd), 674
  evaluation of left ventricular hypertrophy, 382
  in experimental white matter lesions, 317
  gadodiamide for enhancement in, 980
  gadolinium-DTPA in. See gadolinium-DTPA
  grid analysis of soft tissue lesions, 474
  hepatic transport of contrast agents in, S146
  of hypoperfused myocardium, contrast-enhanced, 551
  intravenous gadolinium affecting appearance of CSF, 671
  lanthanide complexation with new DTPA-bisamide ligands, S226, S229
  in left ventricular border identification, 295
  of liver, cinical applications of, 266
  manganese-DPDP for liver studies, 569
    in focal hepatic disease, S148
    in tumors, S142
  mechanical contrast media injector in, 748
  in muscle activity localization, 309
  oral contrast agents in, S65, S67
  polyethylene glycol-ferrioxamine in, for renal studies, 50
  in quantitation of myocardial infarct size, 1065
  relaxation times affcted by myocardial collagen, 227
  relaxometry of protein-gadolinium chelate conjugates, 820
  in renal failure evaluation, 22
  renal tolerance of AMI-25 in, 879
  of reperfused myocardial infarctions, S239
  retinal tacks as tolerable risk in, 1
  rotational correlation times in, S224
  sodium images in neuroblastoma, 233
  toxicity of two contrast agents in, 224
  two T2 component values in tumor diagnosis, 274
  ultrasonography with, 353
magnetic resonance spectroscopy. See spectroscopy, magnetic resonance

magnetization transfer contrast
in brain tumor imaging, S248
in whole body imaging, S255
mammography
color, 521
in screening for nonpalpable tumors in Sweden, 174
manganese-DPDP in liver studies with MRI, 569
in focal hepatic disease, S148
in tumors, S142
manganese gluconate/calcium gluconate, in visualization of myocardial perfusion with MRI, 551
mediastinal bulk in Hodgkin disease, 1101
meglumine diatrizoate. See diatrizoate
meninges, lidocaine affecting, 745
metrizoate, extrarenal clearance of, S75
microballoons, polymeric, in ultrasonography, S190
microscopy, magnetic resonance, effects of diffusion in, 540
multimedia communications technology in diagnostic imaging, 377
muscle
activity localization with magnetic resonance spectroscopy, 309
hypertrophied, magnetic resonance spectroscopy of, 58
reactions to femoral angiography with low osmolality contrast media, S115
musculoskeletal radiology, curriculum for, 1019
myeloma, multiple, in Paget's disease, 615
myocardial conditions. See heart

N

nerves
conduction velocities affected by MRI, 432
transcutaneous electrical stimulation in biliary lithotripsy, 866
neural tissue metabolism, affected by gadolinium-DTPA and -DOTA, 1087
neuroblastoma, sodium MRI of, 233
neurogenic pulmonary edema, 499
neuropsychiatry, positron emission tomography in, 184

O

observer performance. See receiver operating characteristic curves (ROC)
orthopedics, lower limb radiography technique in, 71

P

Paget's disease, multiple myeloma in, 615
perfluorooctylbromide
in blood-pool imaging, and side effects in swine, S122
emulsion particles in computed tomography, S55
in liver abscess detection with computed tomography, 792
as oral contrast agent in MRI, S65
potential impact on sonography, S186
periosteal reaction
early experimental, detection with MRI, 304
of ribs, in newborn, 279
petrosal sinus catheterization in sheep, 825
pH, and effects of iopromide on blood-brain barrier, S113
phosphatidylinostol metabolism, gadolinium-DTPA and Gd-DOTA affecting, S209
phosphonate-modified gadolinium-DTPA, 143
for infarct imaging, S242
photography, film blurred-mask subtraction for print production, 358
photon emission-computed tomography, in cone beam tomography of heart, 681
photostimulable phosphor radiographic systems, 590
pituitary hormone output sampling in sheep, 825
platelets
contrast media affecting, S101
depletion affecting MRI of clotted blood, 343
embolization after aortic endothelial injury, 655
pneumoperitoneum, computed tomography in, 574
polyethylene glycol-ferrioxamine, as renal MRI contrast agent, 50
polylysine-(Gd-DTPA), in pulmonary disease diagnosis, S42
polymeric microballoons, in ultrasonography, S190
portal vein aneurysm, 203
positron emission tomography
of brain function, 258
in neuropsychiatry, 184
practice policies in radiologic practice, 689
pregnancy
fetal studies in. See Fetus
in radiology residents, 102
proctography, evacuation, in normal volunteers, 581
prostate cancer, comparison of MRI and ultrasonography in, 1024
proton diffusion measurement in body tissue, 540
psychiatric disorders, positron emission tomography in, 184
Putman, Charles E., Gold Medal Award, 1114

R

radiation therapy, enhancement with iodinated contrast agents in brain tumors, S120
radioactive waste, low-level, disposal of, 94
radiography
analog and digital computed image acquisition in, 438
blurred-mask technique for photographic prints, 358
in developing countries, 906
in early experimental periostitis, 304
interpretations affected by clinical history, 512
lower limb, standardized technique for, 71
radioimmunotherapy, correlative imaging in, 755
radiology departments
administration of time in, 1005
decisions for changes in, 91
executive committee meetings, 913
follow-up studies in, 201
illusions of chairmen in, 848
issues of size and time in, 700
language and gender issues in, 516
leadership style in, 278
moral values in, 847
speaking at meetings, 915
suggestions for improvement of morale in, 385
turf issues in, 515
value of retreats in, 1026
radionuclide studies
cardiac nuclear medicine programs, 1009
cost profile of, 490
in glomerular filtration rate determinations, S72
platelet aggregation studies with indium-111, after aortic endothelial injury, 655
receiver operating characteristic curves (ROC)
in color mammography, 521
and observer variation in bronchiolitis detection, 115
and time course of satisfaction of search, 640
relaxometry
of dextran and albumin labeled with Gd-chelates, S48
of paramagnetic liposomes, S260
of protein-gadolinium chelate conjugates, 820
research. See academic radiology
residencies. See education for radiology
reticuloendothelial system, selective opacification of, S167
retinal tacks as tolerable risk in MRI, 1
rheumatoid arthritis, juvenile, bone growth disturbance in, 727

ribs, periosteal reaction in newborn, 279
risk communication as political dialogue, 698

S

safety of contrast media, 401
satellite teleradiology in Operation Desert Storm, 854
satisfaction of search, time course of, 640
scanning electron microscopic analysis
  of catheters during angiography, S96
  of clot formation affected by contrast media, S92
schizophrenia, positron emission tomography in, 184
scintigraphy. See radionuclide studies
sclerotherapy of gallbladder in pigs, 804
sialography, fractal dimensions of images in, 894
silicone prepolymer system, injection into gallbladder of rabbits, 902
skin
  regulation of wound healing in, 604
  ulceration from contrast extravasation, 13
sodium
  addition to nonionic contrast media, 888
  intracellular, cardiac pacing affecting, 1079
sodium MRI, of neuroblastoma in mouse, 233
spectroscopy, magnetic resonance
  of atherosclerotic plaques, 703
  in bone mineral differentiation from synthetic apatite, 946
  of brain function, 258
  in breast disease, 1053
  combined with MRI, 769
  of intracellular sodium affected by cardiac pacing, 1079
  in muscle activity localization, 309
  proton, of hypertrophied muscle, 58
spine, intraoperative sonography in canal stenosis and herniated disks, 696
statistics, kappa use in, 78
steroid premedication, and adverse reactions to contrast media, 404
stomach
  magnetic resonance imaging of, 195
  morphology and growth in fetus, 998
stress radiography, graded, in cruciate ligament injury, 926
swallowing in infants, videofluoroscopic analysis of, 870

T

technology assessment
  evolution of, 165
  as task of researchers, 109
teleradiology, satellite, in Operation Desert Storm, 854
thrombectomy in peripheral vascular disease, 921
thrombolysis
  comparison of urokinase and t-PA in, 46
  percutaneous mechanical, 557
  in peripheral vascular disease, 921
thrombosis
  induced by contrast media, S92
    in angiography, S96
  in vascular grafts, animal model of, 254
tissue plasminogen activator, compared to urokinase in thrombolysis, 46
triiodobenzene derivatives, heterocyclic, new class of, S156
tumors
  of brain
    localization with iodinated contrast agents, S120
    magnetization transfer contrast in, S248
  of breast. See breast, cancer of
  deep soft tissue mass of thigh, 92
  diagnosis with two T2 component values in MRI, 274
  of liver
    hepatobiliary toxicity of 5-fluoro-2′-deoxyuridine in, 461
    magnetic resonance imaging in, S142, 266
  magnetic resonance grid analysis of, 474
  radioimmunotherapy in, 755
  sodium MRI of neuroblastoma in mouse, 233
  ultrasonography compared to MRI in prostate cancer, 1024

U

ulcerations, cutaneous, from contrast extravasation, 13
ultrasonography
  blood-pool imaging with SH U 508 A, S188
  compared to MRI in prostate cancer, 1024
  compared to oral cholecystography
    in postlithotripsy evaluation, 636
    in screening for extracorporeal shock wave lithotripsy, 633
  contrast agents in, S5
  cost profile of, 490
  Doppler studies in renal transplant rejection, 422
  in fetal body composition estimation, 722
  immune response to Albunex in, S192
  intraoperative, in spinal canal stenosis and herniated disks, 696
  magnetic resonance imaging with, 353
  particle-stabilized bubbles in, S194
  perfluorooctylbromide affecting, S186
  perinatal attenuation coefficient changes, 8
  phase aberration profiles in breast, 782
  polymeric microballoons in, S190
  vascular responsiveness in, 248
urokinase, compared to t-PA in thrombolysis, 46

V

variations in normal appearance of functional organs, 771
vasculature. See also thrombolysis; thrombosis
  abdominal aortic aneurysm prognosis, 612
  angiography of. See angiography
  angle measurements in aortic arch branches, 128
  aortic flow analysis with cine phase-contrast MRI, 1071
  arterial abnormalities in lower limb malformations, 364
  carbon dioxide in angioscopy, 874
  embolization of platelets after aortic endothelial injury, 655
  hepatic arterial circulation, 337
  intraosseous changes in hypervitaminosis D3, 213
  portal vein aneurysm, 203
  therapeutic alternatives in peripheral vascular disease, 921
  tissue ablation by laser, 660
  ultrasound imaging of arterial responsiveness, 248
vesicles, interdigitation-fusion
  biodistribution and imaging properties of, S169
  iodine:lipid ratios in, S167
videofluoroscopy of swallowing in infants, 870
viscosity of blood, contrast media affecting, 220, 810
visual cognition and perception
  in search for lung nodules, 777
  and time course in satisfaction of search, 640
  and understanding complex images, 765
vitamin D intoxication, bone remodeling in, 213

W

whole body imaging, magnetization transfer technique in, S255
wound healing
  cutaneous, regulation of, 604
  and osteoinductive agents in fractures, 470
writing techniques
  active voice in, 277
  development of, 90

Y

ytterbium-DTPA, compared to iopromide in CT, S162

Author Index — Volume 26

A

Abrahams, C.: *see* Kensey, K. R.
Adam, G.: *see* Vorwerk, D.
Adams, D. F.: *see* Janoff, A. S.; *also see* Seltzer, S. E.
Adams, M.: *see* Periasamy, M.
Adzamli, I. K., Blau, M., Pfeffer, M. A., Davis, M. A.: New magnetic resonance imaging contrast agents for infarct imaging based on phosphonate derivatives of Gd-DTPA, S242
Adzamli, I. K., Johnson, D., Blau, M.: Phosphonate-modified GdDTPA complexes. II. Evaluation in a rat myocardial infarct model, 143
Ahkong, Q. F.: *see* Fritz, T.; *also see* Tilcock, C. P.
Aitken, W. M., Bass, J. J., Heap, S. W., Stuart, S. P., Spencer, G. S. G., Hodgkinson, S. C.: Petrosal sinus catheterization in sheep: Development of a method for sampling hormonal output from the pituitary, 825
Akins, E. W.: *see* Mladinich, C. R. J.
Alan, J.: *see* Rubin, S. J.
Al-Badawi, M. G.: *see* Hawass, N.-E.-D.
Alderson, P. O.: *see* Amis, E. S., Jr.
Alkire, A. L.: *see* White, D. L.
Allard, S. M.: *see* Pelech, A. N.
Allen, B.: *see* Hicks, M.
Almén, T., Bergquist, D., Frennby, B., Hellsten, S., Lilja, B., Nyman, U., Sterner, G., Töornquist, C.: Use of urographic contrast media to determine glomerular filtration rate: Determining the glomerular filtration rate of each kidney with computed tomography and scintigraphy, S72
Als, A.: *see* Wang, J.-Z.
Alton, D.: *see* Coblentz, C. L.
Amiel, M.: *see* Lissac, M.; *also see* Ovize, M.; *also see* Revel, D.
Amis, E. S., Jr., Alderson, P. O.: In-house testing in emergency radiology: A method for teaching and credentialling radiology residents, 836
Amorosa, J. K., Schonfeld, A. R., Nosher, J. L., Giudici, M., Martin, E. G.: Computerized database for counseling medical students seeking a radiology residency program, 104
Andersen, H. F.: *see* Carson, P. L.
Anderson, C.: *see* Hicks, M.
Anderson, W. F.: *see* Siegel, E. L.
Andrew, E.: *see* Bolstad, B.
Andrews, J. C., Kuntsen, C., Terio, P., Priescorn, D., Ensminger, W. D.: Hepatobiliary toxicity of 5-fluoro-2'-deoxyuridine: Intra-arterial versus portal venous routes of infusion, 461
Andrews, W. A.: *see* Young, S. W.
Armeniades, C. D.: *see* Mahon, T. G.
Arnold, M. M., Kreel, L., Lo, Y.-F., Law, H.: Are the hepatic arteries "end arteries?", 337
Arunachalam, T.: *see* Ranganathan, R. S.
Asgari, H.: *see* Kucharczyk, J.
Austin, H. A., III: *see* Frank, J. A.
Azavedo, E., Svane, G., Ringertz, H.: The role of the radiologist in screening for nonpalpable breast tumors in Sweden, 174

B

Babcook, C. J.: *see* Coblentz, C. L.
Baert, A. L.: *see* Jiang, Y.
Baggs, R. B.: *see* Violante, M. R.
Bailey, D. M.: *see* Dundore, R. L.
Baker, S. R.: Diagnostic challenges in radiology, 282
Ballard, D. J., Hallett, J. W., Jr.: Authors' response, 613
Barnhart, J. L., Harada, M., Lyle, L. R., Saravis, C. A.: Immunologic reactions of human recipients to repeated exposures to albunex microspheres, S192; *also see* White, D. L.
Baron, R. L.: *see* Goodsitt, M. M.; *also see* Lehman, C. D.
Barrau, M. B.: *see* Schneider, M.
Bass, J. C., Chiles, C.: Reply, 624
Bass, J. J.: *see* Aitken, W. M.
Battenfeld, R.: Reply, 851
Battenfeld, R., Khater, A. E. R., Drommer, W., Guenzel, P., Kaup, F.-J.: Ioxaglate-induced light and electron microscopic alterations in the renal proximal tubular epithelium of rats, 35
Bauman, D. H.: *see* Freimanis, M. G.
Baumann, D.: *see* Hicks, M.
Baumgartner, B. R., Jones, M. T., Torres, W. E., Nelson, R. C., Peterson, J. E.: Comparison of ultrasonography and oral cholecystography in lithotripsy: II. Determining retreatment, 636; *also see* Perchik, J. E.; *also see* Torres, W. E.
Baxter, A. B., Meinikoff, S., Stites, D. P., Brusch, R. C.: Immunogenicity of gadolinium-based contrast agents for magnetic resonance imaging: Induction and characterization of antibodies in animals, 1035
Baxter, K. G.: *see* Siegel, E. L.
Beam, C. A.: *see* Cohan, R. H.; *also see* Iwai, F.; *also see* Munechika, H.
Beaufils, H.: *see* Brillet, G.
Beauté, S.: *see* Meyer, D.
Beck, W.: *see* Niendorf, H. P.
Bednarek, D. R., Rudin, S.: Blurred-mask radiographic density compression for improved reproduction of radiographs, 358
Bell, M. R.: *see* Lerman, L. O.
Belleville, J.: *see* Corot, C.
Beltran, J.: *see* Spaeth, H. J.
Benacerraf, R.: *see* Legmann, P.
Bennett, W. F.: *see* Spaeth, H. J.
Bentley, M. D.: *see* Lerman, L. O.
Berbaum, K. S., Franken, E. A., Jr.: The effect of clinical history on chest radiograph interpretations in a PACS environment, 512
Berbaum, K. S., Franken, E. A., Jr., Dorfman, D. D., Rooholamini, S. A., Coffman, C. E., Cornell, S. H., Cragg, A. H., Glavin, J. R., Honda, H., Kao, S. C. S., Kimball, D. A., Ryals, T. J., Sickels, W. J., Smith, T. P.: Time course of satisfaction of search, 640; *also see* Smith, W. L.
Bergman, A. H.: *see* de Roos, A.
Bergquist, D.: *see* Almén, T.
Bernardino, M. E., Young, S. W., Lee, J. K. T., Weimeb, J.: Contrast-enhanced magnetic resonance imaging of the liver with Mn-DPDP for known or suspected focal hepatic disease, S148; *also see* Brown, P. C.; *also see* Nelson, R. C.; *also see* Perchik, J. E.
Bernstein, I. M., Catalano, P. M.: Ultrasonographic estimation of fetal body composition for children of diabetic mothers, 722
Berry, C. C.: *see* Lasser, E. C.
Berthezene, Y.: *see* Brasch, R. C.; *also see* Vexler, V. S.
Bettmann, M. A.: *see* Janosik, J. E.; *also see* Kaufman, J. A.
Bigler, J.: *see* Josephson, L.
Bishop, M. D.: *see* Siegel, E. L.
Bjelland, J. C.: *see* Hunter, T. B.
Blau, M.: *see* Adzamli, I. K.; *also see* Janoff, A. S.; *also see* Seltzer, S. E.
Blickman, J. G.: *see* Newman, L. A.
Blinder, R. A.: *see* Kuethe, D. O.
Bodino, F.: *see* Schneider, M.
Boechat, I.: Digital imaging in diagnostic radiology, 850
Bolstad, B., Borch, K. W., Grynne, B. H., Lundby, B., Nossen, O. E., Kloster, Y. F., Kristoffersen, D. T., Andrew, E.: Safety and tolerability of iodixanol: A dimeric, nonionic contrast medium: An emphasis on European clinical Phases I and II, S201
Boni, L. T.: *see* Janoff, A. S.; *also see* Seltzer, S. E.
Bonnemain, B.: *see* Doucet, D.
Boone, J. M.: Color mammography: Image generation and receiver operating characteristic evaluation, 521
Borch, K. W.: *see* Bolstad, B.
Boren, W. L.: *see* Hunter, T. B.
Bosworth, M.: *see* Periasamy, M.
Bouillot, A.: *see* Meyer, D.
Bourbouze, R.: *see* Brillet, G.
Bova, J. G.: *see* Spaeth, H. J.
Bower, B. L., Engels, J. T., Evens, R. G.: Results of the 1989 survey of the American Association of Academic Chief Residents in Radiology, 99
Brakel, K., Laméris, J. S., Vergunst, H., Kate, F. J. W. T., Nijs, H. G. T., Terpstra, O. T.: Sclerotheraphy of the gallbladder in pigs: Development of a balloon catheter for a single-step procedure, 804
Bramble, J. M.: *see* Murphey, M. D.
Brasch, R. C., Berthezene, Y., Vexler, V. S., Moseley, M., Clément, O., Muchler, A., Price, D., Jerome, H.: Facilitated magnetic resonance imaging diagnosis of pulmonary disease using a macromolecular blood–pool contrast agent, polylysine-$(Gd\text{-}DTPA)_{40}$, S42; *also see* Vexler, V. S.
Brezis, M., Greenfeld, Z., Herman, M., Meyer, J. J., Heyman, S. N., Rosen, S.: Experimental nephrotoxicity of the radiocontrast agents iohexol, ioxaglate, and iothalamate: An in vitro and in vivo study, 325
Briguet, A.: *see* Lissac, M.
Brill, D. R.: Disposal of low-level radioactive waste, 94
Brillet, G., Dubois, M., Beaufils, H., Bourbouze, R., Deray, G.: Renal tolerance of AMI 25, 879
Brinker, J., Steinberg, E., Moore, R., Powe, N., Graziano, S., Gopalan, R., Liu, M.: The effects of intracoronary contrast in the denervated human heart, S118
Brinker, J. A.: *see* Steinberg, E. P.
Brock, J. M.: *see* Knutzon, R. K.
Brody, W. R.: Contributions of engineering to

advances in imaging technology in the 1990s, 485; *also see* Holden, R. W.
Broekhoven, L. D.: *see* Siu, D.
Brogdon, B. G., Herbert, D. E.: Pregnancy in radiology residents, 102
Brogdon, B. G., Herbert, D. E.: The fellowship phenomenon, 1032
Brown, J. J.: *see* Mattrey, R. F.
Brown, P. C., Bernardino, M. E., Fishman, E. K., Jeffrey, R. B., Jr.: Randomized, double-blind comparison of omnipaque 300 and hypaque 60 in patients undergoing bolus-enhanced dynamic computed body tomography, S205
Brugirard, J.: *see* Lissac, M.
Brundage, B. H.: *see* Pietras, R. J.
Bruneton, J. N.: *see* Mattrey, R. F.
Brunger, C.: *see* Katayama, H.
Brusch, R. C.: *see* Baxter, A. B.
Buchholz, R. A.: *see* Dundore, R. L.
Buck, J. L.: Robert H. Ackerman, MD: 1991–1992 distinguished scientist, Armed Forces Institute of Pathology, 853
Buda, A. J.: *see* Wilson, M. W.
Buonocore, M.: *see* Knutzon, R. K.
Burhenne, H. J.: *see* Rawat, B.
Burney, R. E.: *see* Kane, N. M.
Burns, T. L.: *see* Grover-McKay, M.; *also see* Stuhlmuller, J. E.
Burton, B. S.: *see* Cawthon, M. A.
Bussat, P.: *see* Schneider, M.
Butler, I. J.: *see* Narayana, P. A.
Butwell, N. B., Ramasamy, R., Sherry, A. D., Malloy, C. R.: Influence of cardiac pacing on intracellular sodium in the isolated perfused rat heart, 1079

C

Cacheris, W.: *see* Periasamy, M.
Cacheris, W. P.: *see* White, D. H.
Callen, P. W.: Ultrasonography in obstetrics and gynecology, 622
Canet, E.: *see* Revel, D.
Carroll, F. E.: *see* Moore, D. E.
Carson, G. C.: *see* Klein, A.
Carson, P. L., Chiang, E. H., Rubin, J. M., Meyer, C. R., Andersen, H. F., Marks, T. I.: Prenatal-to-postnatal reduction in ultrasound attenuation coefficient of the liver, 8
Caruana, B.: *see* Freimanis, M. G.
Carvlin, M.: *see* DeSimone, D.
Castillo, M.: Magnetic resonance imaging of the brain and spine, 916
Catalano, P. M.: *see* Bernstein, I. M.
Cawthon, M. A., Goeringer, F., Telepak, R. J., Burton, B. S., Pupa, S. H., Willis, C. E., Hansen, M. F.: Preliminary assessment of computed tomography and satellite teleradiology from Operation Desert Storm, 854
Chabriais, J., Lebo, N. K., Helenon, O., Chourroute, Y., Di Paola, R., Moreau, J.-F.: Iodinated contrast media: Renal pharmacokinetic study by factor analysis dynamic computed tomography in the rabbit, S80
Challis, T. W.: *see* Siu, D.
Chambon, C.: *see* Doucet, D.; *also see* Meyer, D.; *also see* Revel, D.
Chandnani, V. P.: *see* Spaeth, H. J.
Chang, T. S.: *see* Mitchell, D. G.
Charles, H. C.: *see* Iwai, F.; *also see* Sostman, H. D.; *also see* Weidman, E. R.
Chezmar, J. L.: *see* Nelson, R. C.
Chiang, E. H.: *see* Carson, P. L.
Chiles, C.: *see* Bass, J. C.
Chomka, E. V.: *see* Pietras, R. J.
Choppin, G. R.: *see* White, D. H.
Chotas, H. G., Dobbins, J. T., III, Floyd, C. E., Jr., Ravin, C. E.: Single-exposure conventional and computed radiography image acquisition, 438
Chourroute, Y.: *see* Chabriais, J.
Choyke, P. L.: *see* Frank, J. A.
Christian, P. E.: *see* Gullberg, G. T.
Clas, D. M.: *see* Dundore, R. L.
Clément, O.: *see* Brasch, R. C.
Cleveland, R. H.: *see* Newman, L. A.
Coblentz, C. L., Babcook, C. J., Alton, D., Riley, B. J., Norman, G.: Observer variation in detecting the radiologic features associated with bronchiolitis, 115
Cochran, S. T.: *see* Norman, A.
Coffman, C. E.: *see* Berbaum, K. S.
Cohan, R. H., Leder, R. A., Herzberg, A. J., Hedlund, L. W., Wheeler, C. T., Beam, C. A., Nadel, S. N., Dunnick, N. R.: Extravascular toxicity of two magnetic resonance contrast agents: Preliminary experience in the rat, 224; *also see* Debatin, J. F.
Coldman, A. J.: *see* Rawat, B.
Collins, G. F.: *see* Pelech, A. N.
Colucci, V. M.: *see* Zamaroczy, D.
Comillac, A.: *see* Corot, C.
Consigny, P. M.: *see* Mitchell, D. G.; *also see* Vinitski, S.
Constantz, B.: *see* Young, S. W.
Constantz, B. R.: *see* Dawson, K. L.
Cooke, V.: *see* Siu, D.
Cooper, L. A.: Understanding complex images: Perspectives from visual cognition, 765
Cooperstein, L. A., Good, B. C., Gur, D.: Authors' response, 513; *also see* Good, B. C.
Coppage, L.: *see* Matthay, R. A.
Cornell, S. H.: *see* Berbaum, K. S.
Corot, C., Comillac, A., Belleville, J., Eloy, R., The European Clotting Group: Scanning electron microscopic analysis of catheters during routine angiographic procedures: Role of the contrast agent, S96; *also see* Revel, D.
Coudert, J. L.: *see* Lissac, M.
Cragg, A. H.: *see* Berbaum, K. S.
Crowley, M. G.: *see* Negendank, W. G.
Curry, T. S., III, Dowdey, J. E., Murray, R. C., Jr.: Christensen's physics of diagnostic radiology, 517

D

Dandis, G.: *see* Ovize, M.; *also see* Revel, D.
Darwin, R. H.: MRI: Musculoskeletal system, 772
Datz, F. L.: *see* Gullberg, G. T.
Davis, M. A.: *see* Adzamli, I. K.
Dawson, K. L., Farnan, I. E., Constantz, B. R., Young, S. W.: Solid-state phosphorus-31 nuclear magnetic resonance differentiation of bone mineral and synthetic apatite used to fill bone defects, 946
Dawson, P.: Editorial, S1
Debatin, J. F., Cohan, R. H., Leder, R. A., Zakrzewski, C. B., Dunnick, N. R.: Selective use of low-osmolar contrast media, 17
Delaye, J.: *see* Ovize, M.
deLearie, L.: *see* Periasamy, M.
deLearie, L. A.: *see* White, D. H.
Delp, J. L.: *see* Rijke, A. M.
Denlinger, P.: *see* Violante, M. R.
Deray, G.: Contrast media-induced vacuolization, 851; *also see* Brillet, G.
Derek, T.: *see* Siu, D.
DeSimone, D., Morris, M., Rhoda, C., Lucas, T., Zielonka, J., Olukotun, A., Carvlin, M.: Evaluation of the safety and efficacy of gadoteridol injection (a low osmolal magnetic resonance contrast agent), S212
DeSisto, W. C.: *see* Janicek, M. J.
de Graaf, P. W.: *see* Merchant, T. E.
de Haën, C., la Ferla, R.: New aspects of osmotic pressure, flow, load, and bolus in adverse reactions and toxicity of contrast media, S26
de Lorgeril, M.: *see* Ovize, M.
de Roos, A., Mohanlal, R. W., Van Vaals, J. J., Bergman, A. H., Doornbos, J., Matheijssen, N. A. A., Van der Wall, E. E., Van der Laarse, A.: Gadolinium-DTPA-enhanced magnetic resonance imaging of the isolated rat heart after ischemia and reperfusion, 1060
Diamantidis, G.: *see* Ranganathan, R. S.
DiBianca, F. A.: *see* Siegel, E. L.
Dick, H. M.: *see* Rubin, S. J.
Diehl, L. F.: *see* Hopper, K. D.
Dillon, J.: *see* Siegle, R. L.
Di Bello, M.: *see* Romano, M.
Di Paola, R.: *see* Chabriais, J.
Dobbins, J. T., III: *see* Chotas, H. G.
Doherty, N. H., III, Higgins, C. B.: Magnetic resonance imaging evaluation of left ventricular hypertrophy in a canine model of aortic stenosis, 382
Doi, K.: *see* Hoffmann, K. R.; *also see* Nakamori, N.
Domon, M.: *see* Honda, E.
Donovan, K. R.: *see* Roszler, M. H.
Doornbos, J.: *see* de Roos, A.
Dorfman, D. D.: *see* Berbaum, K. S.
Dorph, S.: *see* Thomsen, H. S.
Dorr, R. T.: *see* Elam, E. A.
Doucet, D., Meyer, D., Chambon, C., Bonnemain, B.: Blood–pool X-ray contrast agents: Evaluation of a new iodinated polymer, S53
Doucet, D., Urvoas, E., Kravtzoff, R., Chambon, C., Schoumann-Clacys, E., Frija, G., Ropars, C.: Blood–pool magnetic resonance imaging contrast agents: New developments, S46
Douglas, F.: *see* Wang, J.-Z.
Douglass, J. G.: *see* Sovak, M.
Dowdey, J. E.: *see* Curry, T. S., III
Dowling, E. A.: *see* Dowling, K.
Dowling, K., Hutto, R. L., Dowling, E. A.: Sternal mass in a patient with Paget's disease, 615
Drommer, W.: *see* Battenfeld, R.
Dubois, M.: *see* Brillet, G.
Duda, S. W.: *see* Katzberg, R. W.
Duewell, St., Wüthrich, R., Von Schulthess, G. K., Jenny, H. B., Muller, R. N., Moerker, T., Fuchs, W. A.: Nonionic polyethelene glycol-ferrioxamine as a renal magnetic resonance contrast agent, 50
Duncan, L.: *see* Ranganathan, R. S.
Dundore, R. L., Silver, P. J., Ezrin, A. M., Lee, K. C., Buchholz, R. A., Van Aller, G., Clas, D. M., Roth, G. M., Harnish, P. P., Bailey, D. M., Pagani, E. D.: The effects of iodixanol and iopamidol on hemodynamic and cardiac electrophysiologic parameters in vitro and in vivo, 715
Dunn, J.: *see* Periasamy, M.
Dunn, T. J.: *see* White, D. H.

Dunnick, N. R.: *see* Cohan, R. H.; *also see* Debatin, J. F.; *also see* Fernandez, G. G.
Dutt, P. L.: *see* Moore, D. E.

E

Eary, J. F.: Correlative imaging in radioimmunotherapy, 755
Eason, R. G.: *see* White, D. L.
Edrees, Y. B.: *see* Hawass, N.-E.-D.
Ehrenheim, Ch.: *see* Rummeny, E.
Ehrhardt, J. C.: *see* Fleagle, S. R.
Ehrlich, S. M.: *see* Mitchell, D. G.
Einsporn, R. L.: *see* Loughry, C. W.
Ekholm, S. E.: *see* Morris, T. W.
Elam, E. A., Dorr, R. T., Lagel, K. E., Pond, G. D.: Cutaneous ulceration due to contrast extravasation: Experimental assessment of injury and potential antidotes, 13
Elbarouni, J.: *see* Nordenström, B. E. W.
El-Khoury, G. Y.: *see* Renfrew, D. L.
Ell, S. R.: Neurogenic pulmonary edema: A review of the literature and a perspective, 499
Ellis, J. H.: *see* Kane, N. M.
Eloy, R.: *see* Corot, C.
Emswiler, J.: *see* Ranganathan, R. S.
Engelbrecht, D. E.: *see* Siegel, E. L.
Engels, J. T.: *see* Bower, B. L.
Ensminger, W. D.: *see* Andrews, J. C.
Erdekian, V. V.: *see* Siegel, E. L.
Ersahin, A.: *see* Molloi, S. Y.
Evans, A. J.: *see* Iwai, F.
Evelhoch, J. L.: *see* Negendank, W. G.
Evens, R. G.: *see* Bower, B. L.
Evill, C. A.: *see* Wilson, A. J.
Ezrin, A. M.: *see* Dundore, R. L.

F

Fache, J. S.: *see* Rawat, B.
Fajardo, L. L.: *see* Hunter, T. B.; *also see* Lund, P. J.
Farnan, I. E.: *see* Dawson, K. L.
Fatani, J. A.: *see* Hawass, N.-E.-D.
Faulstich, M. E., Sullivan, D. C.: Positron emission tomography in neuropsychiatry, 184
Federle, M. P.: Inner turf, 515
Feldman, F.: *see* Rubin, S. J.
Felix, R.: *see* Langer, M.
Fencil, L. E.: *see* Hoffmann, K. R.
Fernandez, G. G., Dunnick, N. R.: CT in renal and perirenal lymphoma: A further look, 840
Ferris, E. J.: The long and short of it, 201
Ferrucci, J. T., Jr.: *see* Saini, S.
Fiegel, V. D.: *see* Knighton, D. R.
Filderman, A. E.: *see* Matthay, R. A.
Fisel, C. R.: *see* Saini, S.
Fisher, B.: *see* Siu, D.
Fishman, E. K.: *see* Brown, P. C.; *also see* Steinberg, E. P.
Flaim, S. F., Hazard, D. R., Hogan, J., Peters, R. M.: Characterization and mechanism of side-effects of imagent BP (highly concentrated fluorocarbon emulsion) in swine, S122
Fleagle, S. R., Thedens, D. R., Ehrhardt, J. C., Scholz, T. D., Skorton, D. J.: Automated identification of left ventricular borders from spin-echo magnetic resonance images: Experimental and clinical feasibility studies, 295
Floyd, C. E., Jr.: *see* Chotas, H. G.
Fogh-Andersen, N.: *see* Thomsen, H. S.
Folts, J. D.: *see* Weber, D. M.
Francis, I. R.: *see* Kane, N. M.
Frank, J. A., Choyke, P. L., Austin, H. A., III, Girton, M. E., Weiss, G.: Gadopentetate dimeglumine as a marker of renal function: Magnetic resonance imaging to glomerular filtration rates, S134
Franken, E. A., Jr.: *see* Berbaum, K. S.; *also see* Holden, R. W.
Fraser-Hill, M. A.: *see* Renfrew, D. L.
Freiburger, P. D.: *see* Trahey, G. E.
Freimanis, M. G., Wald, A., Caruana, B., Bauman, D. H.: Evacuation proctography in normal volunteers, 581
Frennby, B.: *see* Almén, T.
Frenzel, T.: *see* Schuhmann-Giampieri, G.
Fretz, C. J.: *see* Saini, S.
Freundlich, I. M.: Malignancies metastatic to the pleura, 206
Fried, A. M.: *see* Vaughan, T. J.
Friedman, P. J.: Academic radiologists: Aging and renewal, 858
Frija, G.: *see* Doucet, D.
Fritz, T., Unger, E., Wilson-Sanders, S., Ahkong, Q. F., Tilcock, C.: Detailed toxicity studies of liposomal gadolinium-DTPA, 960
Fritz-Zieroth, B.: *see* Miyazawa, T.
Fryback, D. G.: *see* Thornbury, J. R.
Fuchs, A.: *see* Vogl, T. J.
Fuchs, W. A.: Radiology in developing countries, 906; *also see* Duewell, St.
Furuhama, K., Nishizawa, R., Kakihata, K., Takayama, S.: Effects of various contrast media on rat kidneys under normal or loaded conditions, S87

G

Galen, K.: *see* Periasamy, M.
Gallagher, M. A.: *see* Wilson, M. W.
Ganley, E.: *see* Michael, R.
Garn, S. M.: *see* Zerin, J. M.
Gavant, M. L.: *see* Siegle, R. L.
Gedgaudas-McClees, R. K.: *see* Nelson, R. C.
Gehl, H. B.: *see* Rummeny, E.
Genz, A.: *see* Rawat, B.
Gerscovich, E. O.: *see* Knutzon, R. K.
Giddins, N. G.: *see* Pelech, A. N.
Gillen, J.: *see* Wolf, G. L.
Girton, M. E.: *see* Frank, J. A.
Giudici, M.: *see* Amorosa, J. K.
Glavin, J. R.: *see* Berbaum, K. S.
Glonek, T.: *see* Merchant, T. E.
Goedhart, P.: *see* Hardeman, M. R.
Goeringer, F.: *see* Cawthon, M. A.
Goin, J. E., Hermann, G. A.: The clinical efficacy of diagnostic imaging evaluation studies: Problems, paradigms, and prescriptions, 507
Goitz, H. T.: *see* Rijke, A. M.
Gold, R. E.: *see* Siegel, E. L.
Goldman, M. L.: *see* Lehman, C. D.
Golman, K.: *see* Thomsen, H. S.
Good, B. C., Cooperstein, L. A.: Visual skill: Correlation with detection of solitary pulmonary nodules, 624; *also see* Cooperstein, L. A.
Goodsitt, M. M., Baron, R. L.: A phantom for facilitating in vitro computed tomographic studies of gallstones, 162
Gopalan, R.: *see* Brinker, J.; *also see* Steinberg, E. P.
Gorczynska, E., Wegrzynowicz, R.: Glucose homeostasis in rats exposed to magnetic fields, 1095
Gotti, C.: *see* Schneider, M.
Gottlieb, J.: *see* Wolf, G. L.
Grabowski, E. F., Kaplan, K. L., Halpern, E. F.: Anticoagulant effects of nonionic versus ionic contrast media in angiography syringes, 417
Grabowski, E. F., McDonnell, S. L., Thomson, C., Rodriguez, M.: Platelet adhesion/aggregation in an in vitro model of coronary artery stenosis, S101
Graziano, S.: *see* Brinker, J.
Graziano, S. L.: *see* Steinberg, E. P.
Green, W., Saleeb, S. F. N., Thorstad, B., Young, D.: Bilateral fetal nephromegaly, 842
Greenfeld, Z.: *see* Brezis, M.
Grover-McKay, M., Scholz, T. D., Burns, T. L., Skorton, D. J.: Myocardial collagen concentration and nuclear magnetic resonance relaxation times in the spontaneously hypertensive rat, 227
Gruenstein, E. I.: *see* Patrick, E. A.
Grynne, B. H.: *see* Bolstad, B.
Guenzel, P.: *see* Battenfeld, R.
Guindy, M.: *see* Wilson, A. J.
Gullberg, G. T., Christian, P. E., Zeng, G. L., Datz, F. L., Morgan, H. T.: Cone beam tomography of the heart using single-photon emission-computed tomography, 681
Gundersen, H. G.: *see* Øksendal, A. N.
Günther, R. W.: *see* Schmitz-Rode, T.; *also see* Vorwerk, D.
Gupta, K. L.: *see* Mihara, F.
Gur, D.: *see* Cooperstein, L. A.
Gutekunst, D. P.: *see* Schaefer, S.

H

Haarer, S. L.: *see* Wilson, M. W.
Haber, M. M.: *see* Rubin, S. J.
Hallett, J. W., Jr.: *see* Ballard, D. J.
Halpern, E.: *see* Wolf, G. L.
Halpern, E. F.: *see* Grabowski, E. F.; *also see* Siegle, R. L.; *also see* Wolf, G. L.
Halvorsen, R. A.: *see* Siegle, R. L.
Hamm, B.: *see* Rummeny, E.
Hansen, M. F.: *see* Cawthon, M. A.
Harada, M.: *see* Barnhart, J. L.
Hardeman, M. R., Goedhart, P., Koen, I. Y.: The effect of low-osmolar ionic and nonionic contrast media on human blood viscosity, erythrocyte morphology, and aggregation behavior, 810
Harder, Th.: *see* Kreft, B.
Harnish, P. P.: *see* Dundore, R. L.
Harris, J. H., Jr.: *see* Klein, A.
Harvard, Ph.: *see* Revel, D.
Hasebe, S.: *see* Higashi, T. S.
Hasegawa, B. H.: The physics of medical X-ray imaging (or, the photon and me: How I saw the light), 702
Haughton, V. M.: *see* Nguyen, C.
Haugstvedt, J. R.: *see* Lacrum, F.
Haustein, J.: *see* Niendorf, H. P.
Hawass, N.-E.-D., Al-Badawi, M. G., Fatani, J. A., Meshari, A.-A., Edrees, Y. B.: Morphology and growth of the fetal stomach, 998
Hawkins, I. E., Jr.: *see* Mladinich, C. R. J.
Hayes, R., Mahon, T., Masterson, J., Owens, A.: The effects of ioxaglate 320, iohexol 350, and iopamidol 370 on erythrocyte aggregation, 742
Hayes, W. C.: *see* Hipp, J. A.
Hazard, D. R.: *see* Flaim, S. F.
Heap, S. W.: *see* Aitken, W. M.

Hedlund, L. W.: *see* Cohan, R. H.; *also see* Iwai, F.; *also see* Munechika, H.
Helenon, O.: *see* Chabriais, J.
Heller, R. M.: *see* James, A. E., Jr.
Hellsten, S.: *see* Almén, T.
Hemmilä, I.: *see* Niemi, P.
Hemmingsen, L.: *see* Thomsen, H. S.
Hendee, W. R.: The decline of deference: The political context of risk communication, 698
Herbert, D. E.: *see* Brogdon, B. G.
Herfkens, R. J.: *see* Munechika, H.
Herman, M.: *see* Brezis, M.
Herman, P. G.: *see* Noma, S.
Hermann, G. A.: *see* Goin, J. E.
Herzberg, A. J.: *see* Cohan, R. H.
Hessel, S.: *see* Vorwerk, D.
Hewitt, B.: *see* Michael, R.
Heyman, S. N.: *see* Brezis, M.
Hicks, M., McGraw, D., Rubin, B., Baumann, D., Munn, J., Allen, B., Anderson, C., Sicard, G.: A canine model of paired graft thrombosis, 254
Higashi, T. S., Takizawa, K., Nagashima, J., Obuchi, M., Hasebe, S., Takagi, T., Yamada, M., Katayama, M., Kuniyasu, Y.: Prospective two-phase study of delayed symptoms after intravenous injection of low-osmolality contrast media, S37
Higgins, C. B.: *see* Doherty, N. H., III; *also see* Saud, M.; *also see* Wendland, M. F.
Hillman, B. J.: Practice policies: Rationale, methods of development, and implications for radiologic practice, 689
Hillman, B. J.: Technology assessment and radiologist researchers, 109
Hillman, B. J.: What we know and what we don't, 401; *also see* Murphey, M. D.
Hillman, R. E.: *see* Newman, L. A.
Himi, K., Takemoto, A., Himi, S., Kamata, R., Katayama, Y., Tsubokawa, T., Sezai, Y.: Anticoagulant effect of ionic and nonionic contrast media: Scanning electron microscopic study on clot formation, S92
Himi, S.: *see* Himi, K.
Hipp, J. A., Katz, G., Hayes, W. C.: Local demineralization as a model for bone strength reductions in lytic transcortical metastatic lesions, 934
Hirth, W.: *see* Periasamy, M.
Ho, K.-C.: *see* Nguyen, C.
Hodgkinson, S. C.: *see* Aitken, W. M.
Hoener, B. A.: *see* White, D. L.
Hoffmann, K. R., Doi, K., Fencil, L. E.: Determination of instantaneous and average blood flow rates from digital angiograms of vessel phantoms using distance-density curves, 207
Hogan, J.: *see* Flaim, S. F.
Holburn, G. E.: *see* Moore, D. E.
Holden, R. W., Brody, W. R., Franken, E. A., Jr., Klatte, E. C., Maynard, C. D.: Pathways to improved radiologic research: An NIH workshop, 111
Hollenberg, N. K.: *see* Janicek, M. J.
Holman, B. L.: Radiotracers and the heart: State of the turf, 1009; *also see* Janicek, M. J.
Honda, E., Domon, M., Sasaki, T.: A method for determination of fractal dimensions of sialographic images, 894
Honda, H.: *see* Berbaum, K. S.
Hootnick, D. R.: *see* Levinsohn, E. M.
Hopper, K. D., Diehl, L. F., Lynch, J. C., McCauslin, M. A.: Mediastinal bulk in Hodgkin disease: Method of measurement versus prognosis, 1101
Hopper, K. D., Landis, J. R., Meilstrup, J. W., McCauslin, M. A., Sechtin, A. G.: The prevalence of asymptomatic gallstones in the general population, 939
Huang, H. K. B.: *see* Murphey, M. D.
Hunt, K. R.: *see* Hunter, T. B.
Hunt, R. K.: *see* Hunter, T. B.
Hunter, T. B., Fajardo, L. L., Hunt, K. R., Boren, W. L., Bjelland, J. C.: Comprehensive breast cancer detection in an academic environment, 598
Hunter, T. B., Hunt, R. K., Fajardo, L. L.: Comparison of magnetic resonance imaging and ultrasonography in staging early prostate cancer: Results of a multi-institutional cooperative trial, 1024
Hurd, R. T.: *see* Pelech, A. N.
Hutto, R. L.: *see* Dowling, K.
Hvid-Jacobsen, K.: *see* Thomsen, H. S.
Hybl, E.: *see* Schneider, M.
Hynes, M.: *see* Periasamy, M.

I

Iaizzo, P. A., Palahniuk, R. J.: Malignant hyperthermia: Diagnosis, treatment, genetics, and pathophysiology, 1013
Imura, H.: *see* White, D. H.
Iwai, F., Sostman, H. D., Evans, A. J., Nadel, S. N., Hedlund, L. W., Beam, C. A., Charles, H. C., Spritzer, C. E.: Cine phase-contrast magnetic resonance imaging for analysis of flow phenomena in experimental aortic dissection, 1071
Iwamoto, K. S.: *see* Norman, A.

J

Jackson, E. F.: *see* Narayana, P. A.
Jacobsen, E. A., Kløw, N.-E., Mortensen, E., Refsum, H.: Sodium addition to nonionic contrast media: Effects on cardiac monophasic action potentials and hemodynamics in a dog model, 888
Jacobsen, T. F.: *see* Øksendal, A. N.
James, A. E., Jr.: Get it right and then get it written, 90
James, A. E., Jr., Heller, R. M., Partain, C. L., Price, R. R.: The administration of academic time in a radiology department, 1005
Janes, N.: *see* Vinitski, S.
Janicek, M. J., Van den Abbeele, A. D., DeSisto, W. C., Kassis, A. I., Holman, B. L., Tumeh, S. S., Hollenberg, N. K.: Embolization of platelets after endothelial injury to the aorta in rabbits: Assessment with ^{111}Indium-labeled platelets and angiography, 655
Jänicke, U.-A.: *see* Langer, M.
Jankovic, J.: *see* Narayana, P. A.
Janoff, A. S., Minchey, S. R., Perkins, W. R., Boni, L. T., Seltzer, S. E., Adams, D. F., Blau, M.: Interdigitation-fusion vesicles: A new approach for selective opacification of the RES, S167; *also see* Seltzer, S. E.
Janosik, J. E., Bettmann, M. A., Kaul, A. F., Souney, P. F.: Therapeutic alternatives for subacute peripheral arterial occlusion: Comparison by outcome, length of stay, and hospital charges, 921
Jaramillo, D.: *see* Newman, L. A.
Jeffrey, R. B., Jr.: *see* Brown, P. C.
Jenny, H. B.: *see* Duewell, St.
Jerome, H.: *see* Brasch, R. C.
Jiang, Y., Wang, Y., Zhao, J., Marchal, G., Wang, Y., Shen, Y., Xing, S., Li, R., Baert, A. L.: Bone remodeling in hypervitaminosis D3: Radiologic—microangiographic—pathologic correlations, 213
Johnson, D.: *see* Adzamli, I. K.
Johnson, F. G.: *see* Traughber, P. D.
Johnson, G. A., Maki, J. H.: In vivo measurement of proton diffusion in the presence of coherent motion, 540
Johnson, K. K.: *see* Mattrey, R. F.
Jolesz, F. A.: *see* Zamaroczy, D.
Jones, C.: *see* Maginot, T. J.
Jones, M. T.: *see* Baumgartner, B. R.; *also see* Torres, W. E.
Joseph, P. M.: Two exponential analysis of spin-spin proton relaxation times in MR imaging using surface coils, 274; *also see* Summers, R. M.
Josephson, L., Bigler, J.: The magnetic properties of some materials affecting magnetic resonance images, S257
Judy, P. F.: *see* Seltzer, S. E.

K

Kakihata, K.: *see* Furuhama, K.
Kamata, R.: *see* Himi, K.
Kane, N. M., Francis, I. R., Burney, R. E., Wheatley, M. J., Ellis, J. H., Korobkin, M.: Traumatic pneumoperitoneum: Implications of computed tomography diagnosis, 574
Kania, U.: *see* Kreft, B.
Kao, S. C. S.: *see* Berbaum, K. S.
Kaplan, K. L.: *see* Grabowski, E. F.
Kassis, A. I.: *see* Janicek, M. J.
Katayama, H., Yamaguchi, K., Kozuka, T., Takashima, T., Matsuura, K., Nakata, H., Tanabe, M., Brunger, C., The Japanese Committee on the Safety of Contrast Media: Full-scale investigation into adverse reaction in Japan: Risk factor analysis, S33
Katayama, M.: *see* Higashi, T. S.
Katayama, Y.: *see* Himi, K.
Kate, F. J. W. T.: *see* Brakel, K.
Kathol, M. H.: *see* Renfrew, D. L.
Katz, G.: *see* Hipp, J. A.
Katzberg, R. W., Sahler, L. G., Duda, S. W., Morris, T. W., McKenna, B. A., Pabico, R. C., Niedrach, W. L., Tonetti, F. W.: Renal handling and physiologic effects of the paramagnetic contrast medium, gadolinium-DOTA, S129
Kaufman, J. A., Bettmann, M. A.: Prognosis of abdominal aortic aneurysms: A population-based study, 612
Kaul, A. F.: *see* Janosik, J. E.
Kaup, F.-J.: *see* Battenfeld, R.
Kazda, I.: *see* Seltzer, S. E.
Keen, R. E.: *see* White, D. L.
Keller, N. A.: *see* Negendank, W. G.
Kellman, R. M.: *see* Levy, R. A.
Kensey, K. R., Michels, M., Abrahams, C., Nash, J. E., Miller, F. J., Nash, J. C.: Percutaneous gallstone lithotripsy: Results in acute and chronic swine models, 454
Keske, U.: *see* Zwicker, C.
Khan, A.: *see* Noma, S.
Khater, A. E. R.: *see* Battenfeld, R.
Kido, D. K.: *see* Thornbury, J. R.
Kim, I.: *see* Mitchell, D. G.
Kimball, D. A.: *see* Berbaum, K. S.
King, M. A.: *see* Spaeth, H. J.
Kinn, A.-C.: *see* Nordenström, B. E. W.

Kirkwood, J. R.: Essentials of neuroimaging, 701
Kivisaari, L.: *see* Tervahartiala, P.
Kivisaari, R.: *see* Tervahartiala, P.
Klatte, E. C.: *see* Holden, R. W.
Klein, A., Carson, G. C., Novelline, R. A., Mueller, C. F., Harris, J. H., Jr.: The current status of faculty staffing and resident training in emergency radiology: Results of a survey, 86
Kling, G. A.: *see* Roszler, M. H.
Kloster, Y. F.: *see* Bolstad, B.
Kløw, N.-E.: *see* Jacobsen, E. A.
Knighton, D. R., Fiegel, V. D.: Regulation of cutaneous wound healing by growth factors and the microenvironment, 604
Knutzon, R. K., Poirier, V. C., Gerscovich, E. O., Brock, J. M., Buonocore, M.: The effect of intravenous gadolinium on the magnetic resonance appearance of cerebrospinal fluid, 671
Koen, I. Y.: *see* Hardeman, M. R.
Koenig, S. H.: Relaxometry of paramagnetic liposomes, S260
Kollenkirchen, U.: *see* Krause, W.
Kormano, M.: *see* Niemi, P.
Korobkin, M.: *see* Kane, N. M.
Koskinen, S.: *see* Niemi, P.
Kozuka, T.: *see* Katayama, H.
Krafczyk, S.: *see* Vogl, T. J.
Krause, W., Sachse, A., Wagner, S., Kollenkirchen, U., Rößling, G.: Preclinical characterization of iopromide-carrying liposomes, S172
Kravtzoff, R.: *see* Doucet, D.
Kreel, L.: *see* Arnold, M. M.
Kreft, B., Harder, Th., Kania, U.: Alcoholic woman with hematemesis, nausea, and abdominal pain, 203
Krestin, G.: *see* Schuhmann-Giampieri, G.
Kristoffersen, D. T.: *see* Bolstad, B.
Kucharczyk, J., Asgari, H., Mintorovitch, J., Vexler, Z., Moseley, M., Watson, A., Rocklage, S.: Magnetic resonance imaging of brain perfusion using the nonionic contrast agents DyDTPA-BMA and GdDTPA-BMA, S250
Kucharczyk, W.: MRI of the central nervous system, 622
Kuethe, D. O., Small, K. W., Blinder, R. A.: Non-ferromagnetic retinal tacks are a tolerable risk in magnetic resonance imaging, 1
Kundel, H. L., Nodine, C. F., Toto, L.: Searching for lung nodules: The guidance of visual scanning, 777; *also see* Summers, R. M.
Kuniyasu, Y.: *see* Higashi, T. S.
Kuntsen, C.: *see* Andrews, J. C.
Kurki, T.: *see* Niemi, P.
Kuusela, T.: *see* Lipton, M. J.

L

Lacrum, F., Stordahl, A., Solheim, K. E., Haugstvedt, J. R., Roald, H. E., Skinningsrud, K.: Intestinal follow-through examinations with iohexol and iopentol: Permeability alterations and efficacy in patients with small bowel obstruction, S177
Lagel, K. E.: *see* Elam, E. A.
Laird, F. N.: Author's response, 698
Lam, D.: *see* Rijke, A. M.
Lam, M.: *see* Siu, D.
Laméris, J. S.: *see* Brakel, K.
Landis, J. R.: *see* Hopper, K. D.
Lang, E. V., Lang, J. H.: Effect of contrast agents on adherence characteristics of granulocytes, S29
Lang, J. H.: *see* Lang, E. V.
Lange, R. A.: *see* Schaefer, S.
Langer, M., Langer, R., Zwicker, C., Speck, U., Jänicke, U.-A., Felix, R.: Clinical and nephrologic tolerance of iopromide and iotrolan in computed tomography, S83; *also see* Zwicker, C.
Langer, R.: *see* Langer, M.; *also see* Zwicker, C.
Laniado, M.: *see* Niendorf, H. P.; *also see* Rummeny, E.
Larsen, S.: *see* Thomsen, H. S.
Lasser, E. C.: Sex, surfaces, sulfation, and sensitivity, S16
Lasser, E. C., Berry, C. C.: Ionic and nonionic media and steroids, 402
Lasser, E. C., Lyon, S. G., Petro, Z.: Surfaces and sensitivity in contrast material reactions, S20; *also see* Laurie, A. J.
Laurie, A. J., Lyon, S. G., Lasser, E. C.: The effects of contrast media on coagulation factor XII, S23
Law, H.: *see* Arnold, M. M.
la Ferla, R.: *see* de Haën, C.
Leakey, P.: *see* Morris, T. W.
Leander, P.: *see* Lundquist, S.
Lebo, N. K.: *see* Chabriais, J.
Leder, R. A.: *see* Cohan, R. H.; *also see* Debatin, J. F.
Lee, J. K. T.: *see* Bernardino, M. E.
Lee, K. C.: *see* Dundore, R. L.
Lee, S. P.: *see* Lehman, C. D.
Leese, P. T.: *see* VanWagoner, M.
Legmann, P., Marmuse, J. P., Rjob, S., Benacerraf, R.: Preoperative computed tomography for transhiatal esophagectomy, 987
Lehman, C. D., Goldman, M. L., Baron, R. L., Richardson, M. L., Starr, F.E., III, Lee, S. P.: Gallstone susceptibility to in vitro fragmentation by a 480-nm pulsed dye laser: Correlation with computed tomography characteristics, 799
Lentini, J. F.: *see* Seltzer, S. E.
Lerman, L. O., Bentley, M. D., Bell, M. R., Rumberger, J. A., Sheedy, P. F., II, Romero, J. C.: The effect of a low-osmolar radiographic contrast medium on in vivo and postmortem renal size, 992
Levinsohn, E. M., Hootnick, D. R., Packard, D. S., Jr.: Consistent arterial abnormalities associated with a variety of congenital malformations of the human lower limb, 364
Levy, R. A., Kellman, R. M., Rosenbaum, A. E.: The effect of computed tomographic scan orientation on information loss in the three-dimensional reconstruction of tripod zygomatic fractures, 427
Li, R.: *see* Jiang, Y.
Lilja, B.: *see* Almén, T.
Lin, H.: *see* Periasamy, M.
Lin, W.: *see* Periasamy, M.
Lipton, M. J., Sepponen, R. E., Tanttu, J. I., Kuusela, T.: Magnetization transfer technique for improved magnetic resonance imaging contrast enhancement in whole body imaging, S255
Lissac, M., Metrop, D., Brugirard, J., Coudert, J. L., Pimmel, P., Briguet, A., Revel, D., Amiel, M.: Dental materials and magnetic resonance imaging, 40
Lissner, J.: *see* Vogl, T. J.
Liu, M.: *see* Brinker, J.
Lloyd, D. A., Stein, J. S., Rowe, M. I.: The effects of a hyperosmolar intravenous contrast medium on blood viscosity, 220
Lo, Y.-F.: *see* Arnold, M. M.
Lodemann, K. P.: *see* Rummeny, E.
Loughry, C. W., Sheffer, D. B., Price, T. E., Morek, W. M., Einsporn, R. L.: Use of biostereometric analysis as a screen for breast cancer, 528
Louton, T.: *see* Niendorf, H. P.
Lucas, J. G.: *see* Spaeth, H. J.
Lucas, T.: *see* DeSimone, D.
Lund, P. J., Fajardo, L. L.: Lumbar disk herniation and canal stenosis: Value of intraoperative sonography in diagnosis and surgical management, 696
Lundbom, N.: *see* Niemi, P.
Lundby, B.: *see* Bolstad, B.
Lundquist, S., Leander, P.: The extrarenal clearance of water-soluble iodinated contrast media: An experimental study in rabbits, S75
Lyle, L. R.: *see* Barnhart, J. L.
Lynch, J. C.: *see* Hopper, K. D.
Lyon, S. G.: *see* Lasser, E. C.; *also see* Laurie, A. J.

M

MacFall, J. R.: *see* Weidman, E. R.
MacMahon, H.: *see* Nakamori, N.
Maginot, T. J., Sadove, A. M., Jones, C.: Comparison of urokinase and tissue plasminogen activator for thrombolysis in rats, 46
Mahon, T.: *see* Hayes, R.
Mahon, T. G., Wright, K. C., Armeniades, C. D.: Injection of a silicone prepolymer system into the gallbladder of rabbits, 902
Maki, J. H.: *see* Johnson, G. A.
Malko, J. A.: *see* Nelson, R. C.
Malloy, C. R.: *see* Butwell, N. B.
Mansukhani, V. T.: *see* Patrick, E. A.
Maravilla, K. R.: *see* Schmiedl, U. P.
Marchal, G.: *see* Jiang, Y.
Margraf, L. R.: *see* Morrison, S. C.
Margulis, A. R.: The lure of academic radiology, 752; *also see* Werthmuller, W. C.
Marinelli, E.: *see* Ranganathan, R. S.
Marinetti, G. V.: *see* Morris, T. W.
Markowitz, R. I.: Reply, 96
Marks, T. I.: *see* Carson, P. L.
Marmor, A., Prober, A.: Electrocardiogram changes during intrauterine injection of ionic contrast medium, 579
Marmuse, J. P.: *see* Legmann, P.
Martin, E. G.: *see* Amorosa, J. K.
Marx, M. V.: *see* Wilson, M. W.
Masterson, J.: *see* Hayes, R.
Matheijssen, N. A. A.: *see* de Roos, A.
Matsuura, K.: *see* Katayama, H.
Matthay, R. A., Coppage, L., Shaw, C., Filderman, A. E.: Reply, 206
Mattrey, R. F.: Blood–pool contrast media are the ideal agents for computed tomography, S55
Mattrey, R. F.: The potential clinical impact of perflubron emulsion on general sonography, S186
Mattrey, R. F., Brown, J. J., Shelton, R. E., Ogino, M. T., Johnson, K. K., Mitten, R. M.: Use of perfluorooctylbromide (PFOB) to detect liver abscesses with computed tomography: Safety and efficacy, 792
Mattrey, R. F., Steinbach, G. C.: Ultrasound contrast agents:, S5
Mattrey, R. F., Trambert, M. A., Brown, J. J., Bruneton, J. N., Young, S. W., Schooley,

G. L.: Results of the phase III trials with Imagent® GI as an oral magnetic resonance contrast agent, S65
Mauro, M. A.: Interventional computed tomography, 1028
Maynard, C. D.: *see* Holden, R. W.
McCarroll, K. A.: *see* Roszler, M. H.
McCauslin, M. A.: *see* Hopper, K. D.
McCue, F. C., III: *see* Rijke, A. M.
McDonnell, S. L.: *see* Grabowski, E. F.
McGarty, T. P.: Multimedia communications technology in diagnostic imaging, 377
McGraw, D.: *see* Hicks, M.
McKenna, B. A.: *see* Katzberg, R. W.
McMillan, J. H.: *see* Siegel, E. L.
Meaney, T. F.: The residency review committee and the American Board of Radiology, 1029
Meilstrup, J. W.: *see* Hopper, K. D.
Meinikoff, S.: *see* Baxter, A. B.
Merchant, T. E., Thelissen, G. R. P., de Graaf, P. W., Otter, W. D., Glonek, T.: Clinical magnetic resonance spectroscopy of human breast disease, 1053
Meshari, A.-A.: *see* Hawass, N.-E.-D.
Metrop, D.: *see* Lissac, M.
Mettler, F. A., Jr.: Does education help?, 96
Meyer, C. R.: *see* Carson, P. L.; *also see* Wilson, M. W.
Meyer, D., Schaefer, M., Bouillot, A., Beauté, S., Chambon, C.: Paramagnetic dextrans as magnetic resonance contrast agents, S50; *also see* Doucet, D.
Meyer, J. J.: *see* Brezis, M.
Mezrich, R.: *see* Sebok, D. A.
Mezrich, R. S.: *see* Wang, J.-Z.
Michael, R., Sage, M., Hewitt, B., Piper, K., Szep, P., Ganley, E.: Resource-based relative value scale for organ imaging services, 490
Michels, M.: *see* Kensey, K. R.
Mihara, F., Gupta, K. L.: Gd-DTPA-enhanced short repetition time and short inversion time inversion recovery magnetic resonance imaging: Experimental and clinical assessment, 734
Milco, L. A.: *see* White, D. L.
Miller, F. J.: *see* Kensey, K. R.
Minchey, S. R.: *see* Janoff, A. S.; *also see* Seltzer, S. E.
Mintorovitch, J.: *see* Kucharczyk, J.
Mirra, J. M.: Bone tumors: Clinical, radiologic, and pathologic correlations, 388
Mishkin, M. M.: *see* Wolf, G. L.
Mistretta, C. A.: *see* Weber, D. M.
Mitchell, D. G., Kim, I., Chang, T. S., Vinitski, S., Consigny, P. M., Saponaro, S. A., Ehrlich, S. M., Rifkin, M. D., Rubin, R.: Fatty liver: Chemical shift phase-difference and saturation magnetic resonance imaging techniques in animals, phantoms, and humans, 1041
Mitten, R. M.: *see* Mattrey, R. F.
Miyazawa, T., Murayama, C., Ozawa, M., Fritz-Zieroth, B.: Comparison of iopamidol and diatrizoate with iotrolan as a contrast medium for radiographic gastrointestinal tract examinations, S182
Mladinich, C. R. J., Akins, E. W., Weingarten, K. E., Hawkins, I. E., Jr.: Carbon dioxide as an angioscopic medium: Comparison to various methods of saline delivery, 874
Moerker, T.: *see* Duewell, St.
Mohanlal, R. W.: *see* de Roos, A.
Molloi, S. Y., Ersahin, A., Roeck, W. W., Nalcioglu, O.: Absolute cross-sectional area measurements in quantitative coronary arteriography by dual-energy DSA, 119; *also see* Weber, D. M.
Montalvo, B. M., Quencer, R. M.: Authors' response, 697
Montner, S.: *see* Nakamori, N.
Mooney, C.: *see* Thornbury, J. R.
Moore, D.: *see* Periasamy, M.
Moore, D. A.: *see* White, D. H.
Moore, D. E., Carroll, F. E., Dutt, P. L., Reed, G. W., Holburn, G. E.: Comparison of nonionic and ionic contrast agents in the rabbit lung, 134
Moore, R.: *see* Brinker, J.
Moore, R. D.: *see* Steinberg, E. P.
Moore, T. E.: *see* Renfrew, D. L.
Moreau, J.-F.: *see* Chabriais, J.
Morek, W. M.: *see* Loughry, C. W.
Morgan, H. T.: *see* Gullberg, G. T.
Morris, M.: *see* DeSimone, D.
Morris, T. W., Ekholm, S. E., Marinetti, G. V., Prentice, L. I., Leakey, P.: Gd-DTPA and Gd-DOTA effects on metabolism of glucose and phosphatidylinositols, S209
Morris, T. W., Ekholm, S. E., Prentice, L. I.: The effects of gadolinium-DTPA and -DOTA on neural tissue metabolism, 1087
Morris, T. W., Rubinstein, R.: Concentration-dependent myocardial effects of citrate in a nonionic contrast medium, S110; *also see* Katzberg, R. W.
Morrison, S. C., Margraf, L. R.: Periosteal reaction of the ribs in a newborn infant, 279
Mortensen, E.: *see* Jacobsen, E. A.
Moseley, M.: *see* Brasch, R. C.; *also see* Kucharczyk, J.
Moseley, M. E.: *see* Vexler, V. S.
Moskowitz, M.: *see* Patrick, E. A.
Muchler, A.: *see* Brasch, R. C.
Mueller, C. F.: *see* Klein, A.; *also see* Spaeth, H. J.
Muller, H.: *see* Young, S. W.
Muller, R. N.: *see* Duewell, St.
Munechika, H., Sullivan, D. C., Hedlund, L. W., Beam, C. A., Sostman, H. D., Herfkens, R. J., Pelc, N. J.: Evaluation of acute renal failure with magnetic resonance imaging using gradient-echo and Gd-DTPA, 22
Munn, J.: *see* Hicks, M.
Murayama, C.: *see* Miyazawa, T.
Murphey, M. D., Huang, H. K. B., Siegel, E. L., Hillman, B. J., Bramble, J. M.: Clinical experience in the use of photostimulable phosphor radiographic systems, 590
Murray, R. C., Jr.: *see* Curry, T. S., III
Murray, W. T.: *see* Traughber, P. D.
Mushlin, A. I.: *see* Thornbury, J. R.

N

Nadel, S. N.: *see* Cohan, R. H.; *also see* Iwai, F.
Nagashima, J.: *see* Higashi, T. S.
Nakamori, N., Doi, K., MacMahon, H., Sasaki, Y., Montner, S.: Effect of heart-size parameters computed from digital chest radiographs on detection of cardiomegaly: Potential usefulness for computer-aided diagnosis, 546
Nakata, H.: *see* Katayama, H.
Nalcioglu, O.: *see* Molloi, S. Y.
Narayana, P. A., Slopis, J. M., Jackson, E. F., Jankovic, J., Butler, I. J.: Proton magnetic resonance spectroscopic studies of hypertrophied muscle: Effect of botulinum toxin treatment, 58
Nash, J. C.: *see* Kensey, K. R.
Nash, J. E.: *see* Kensey, K. R.
Nawfel, R. D.: *see* Seltzer, S. E.
Negendank, W. G., Crowley, M. G., Ryan, J. R., Keller, N. A., Evelhoch, J. L.: Authors' response, 770
Negro-Vilar, R.: *see* Weidman, E. R.
Nelson, J. A.: *see* Schmiedl, U. P.
Nelson, R. C., Chezmar, J. L., Newberry, L. B., Malko, J. A., Gedgaudas-McClees, R. K., Bernardino, M. E.: Manganese dipyridoxyl diphosphate: Effect of dose, time, and pulse sequence on hepatic enhancement in rats, 569; *also see* Baumgartner, B. R.
Neubeck, R.: *see* Ranganathan, R. S.
Newberry, L. B.: *see* Nelson, R. C.
Newman, L. A., Cleveland, R. H., Blickman, J. G., Hillman, R. E., Jaramillo, D.: Videofluoroscopic analysis of the infant swallow, 870
Ng, G.: *see* Trahey, G. E.
Nguyen, C., Ho, K.-C., Haughton, V. M.: Effect of lidocaine on the meninges in an experimental animal model, 745
Niedrach, W. L.: *see* Katzberg, R. W.
Nielsen, S. L.: *see* Thomsen, H. S.
Niemi, P., Koskinen, S., Reisto, T.: Tissue relaxation enhancement after intravenous administration of (ITCB-DTPA)-gadolinium conjugated albumin, an intravascular magnetic resonance imaging contrast agent, 674
Niemi, P., Kurki, T., Lundbom, N., Kormano, M.: Magnetization transfer contrast in Gd-DTPA-enhanced imaging of brain tumors, S248
Niemi, P., Reisto, T., Hemmilä, I., Kormano, M.: Magnetic field dependence of longitudinal relaxation rates of solutions of various protein-gadolinium^{3+} chelate conjugates, 820
Niemi, P., Reisto, T., Kormano, M.: Relaxometry of dextran and albumin labeled with Gd-chelates, S48
Niendorf, H. P., Haustein, J., Louton, T., Beck, W., Laniado, M.: Safety and tolerance after intravenous I.V. administration of 0.3 mmol/kg Gd-DTPA: Results of a randomized, controlled clinical trial, S221; *also see* Schlief, R.
Nijs, H. G. T.: *see* Brakel, K.
Nishizawa, R.: *see* Furuhama, K.
Nodine, C. F.: *see* Kundel, H. L.
Noma, S., Herman, P. G., Khan, A., Rojas, K. A., Pipman, Y.: Sequential morphologic changes of elastase-induced pulmonary emphysema in pig lungs: Evaluation by high-resolution computed tomography, 446
Nordenström, B. E. W., Kinn, A.-C., Elbarouni, J.: Electric modification of kidney function: The excretion of radiographic contrast media and adriamycin, 157
Norman, A., Iwamoto, K. S., Cochran, S. T.: Iodinated contrast agents for brain tumor localization and radiation dose enhancement, S120
Norman, G.: *see* Coblentz, C. L.
Nosher, J. L.: *see* Amorosa, J. K.
Nossen, O. E.: *see* Bolstad, B.
Novelline, R. A.: *see* Klein, A.
Nyman, U.: *see* Almén, T.

O

Obuchi, M.: *see* Higashi, T. S.
Ogino, M. T.: *see* Mattrey, R. F.

Øksendal, A. N., Jacobsen, T. F., Gundersen, H. G., Rinck, P. A., Rummeny, E.: Superparamagnetic particles as an oral contrast agent in abdominal magnetic resonance imaging, S67
Olson, J. D.: *see* Stuhlmuller, J. E.
Olukotun, A.: *see* DeSimone, D.
Ong, M.: *see* Rawat, B.
Ortiz, I.: *see* Spaeth, H. J.
O'Toole, M.: *see* VanWagoner, M.
Otter, W. D.: *see* Merchant, T. E.
Ovize, M., Revel, D., de Lorgeril, M., Pichard, J.-B., Dandis, G., Delaye, J., Renaud, S., Amiel, M.: Quantitation of reperfused myocardial infarction by Gd-DOTA-enhanced magnetic resonance imaging: An experimental study, 1065
Owens, A.: *see* Hayes, R.
Ozawa, M.: *see* Miyazawa, T.

P

Pabico, R. C.: *see* Katzberg, R. W.
Packard, D. S., Jr.: *see* Levinsohn, E. M.
Pagani, E. D.: *see* Dundore, R. L.
Palahniuk, R. J.: *see* Iaizzo, P. A.
Parker, K. J.: *see* Violante, M. R.
Parkey, R. W.: *see* Schaefer, S.
Parr, M.: *see* Tilcock, C. P.
Partain, C. L.: *see* James, A. E., Jr.
Parvez, Z., Vik, H.: Nonionic contrast media and blood clotting: A critical review, S103
Patrick, E. A., Moskowitz, M., Mansukhani, V. T., Gruenstein, E. I.: Expert learning system network for diagnosis of breast calcifications, 534
Paulus, W.: *see* Vogl, T. J.
Pelaprat, M. L.: *see* Schneider, M.
Pelc, N. J.: *see* Munechika, H.
Pelech, A. N., Allard, S. M., Hurd, R. T., Giddins, N. G., Collins, G. F.: A comparison of iohexol and diatrizoate—meglumine in children undergoing cardiac catherization, 665
Peppler, W. W.: *see* Weber, D. M.
Perchik, J. E., Baumgartner, B. R., Bernardino, M. E.: Renal transplant rejection: Limited value of duplex Doppler sonography, 422
Periasamy, M., White, D., deLearie, L., Moore, D., Wallace, R., Lin, W., Dunn, J., Hirth, W., Cacheris, W., Pilcher, G., Galen, K., Hynes, M., Bosworth, M., Lin, H., Adams, M.: The synthesis and screening of nonionic gadolinum (III) DTPA-bisamide complexes as magnetic resonance imaging contrast agents, S217
Perkins, W. R.: *see* Janoff, A. S.
Peshock, R. M.: *see* Schaefer, S.
Peters, R. M.: *see* Flaim, S. F.
Peterson, J. E.: *see* Baumgartner, B. R.; *also see* Torres, W. E.
Petro, Z.: *see* Lasser, E. C.
Pfeffer, M. A.: *see* Adzamli, I. K.
Phelps, C. E.: *see* Thornbury, J. R.
Phillips, J. J.: *see* Rubin, R. T.
Pichard, J.-B.: *see* Ovize, M.
Pietras, R. J., Wolfkiel, C. J., Veselik, K., Roig, E., Chomka, E. V., Brundage, B. H.: Validation of ultrafast computed tomographic left ventricular volume measurement, 28
Pilcher, G.: *see* Periasamy, M.
Pillai, R.: *see* Ranganathan, R. S.
Pimmel, P.: *see* Lissac, M.
Piovani, B.: *see* Romano, M.
Piper, K.: *see* Michael, R.
Pipman, Y.: *see* Noma, S.
Poirier, V. C.: *see* Knutzon, R. K.
Pond, G. D.: *see* Elam, E. A.
Potchen, E. J., Potchen, M. J.: The imaging of brain function: Positron emission tomography, single-photon emission computed tomography, and some prospects for magnetic resonance, 258
Potchen, M. J.: *see* Potchen, E. J.
Potts, D. G.: Restoring leadership, 278
Powe, N.: *see* Brinker, J.
Powe, N. R.: *see* Steinberg, E. P.
Prentice, L. I.: *see* Morris, T. W.
Press, W.-R.: *see* Schuhmann-Giampieri, G.
Price, D.: *see* Brasch, R. C.
Price, D. C.: *see* White, D. L.
Price, R. R.: *see* James, A. E., Jr.
Price, T. E.: *see* Loughry, C. W.
Priescorn, D.: *see* Andrews, J. C.
Prober, A.: *see* Marmor, A.
Pupa, S. H.: *see* Cawthon, M. A.

Q

Quay, S. C.: *see* VanWagoner, M.
Quencer, R. M.: *see* Montalvo, B. M.

R

Ramasamy, R.: *see* Butwell, N. B.
Ranganathan, R. S., Arunachalam, T., Diamantidis, G., Duncan, L., Emswiler, J., Marinelli, E., Neubeck, R., Pillai, R., Wedeking, P., Tweedle, M. F.: New X-ray contrast agents: The chemical, biological, and physical properties of 5-heterocycle substituted 2,4,6-trilodo-1,3-benzenedicarboxamidederivatives, S156
Rashid, T.: *see* Roszler, M. H.
Ravin, C. E.: *see* Chotas, H. G.
Rawat, B., Genz, A., Fache, J. S., Ong, M., Coldman, A. J., Burhenne, H. J.: Effectiveness of transcutaneous electrical nerve stimulation (TENs) for analgesia during biliary lithotripsy, 866
Reed, G. W.: *see* Moore, D. E.
Refsum, H.: *see* Jacobsen, E. A.
Reisto, T.: *see* Niemi, P.
Renaud, S.: *see* Ovize, M.
Renfrew, D. L., El-Khoury, G. Y., Moore, T. E., Kathol, M. H., Whitten, C. G., Walker, C. W., Fraser-Hill, M. A.: Curriculum for musculoskeletal radiology, 1019
Rettig, R. A.: Technology assessment—An update, 165
Revel, D., Chambon, C., Harvard, Ph., Dandis, G., Canet, E., Corot, C., Amiel, M.: Iodinated polymer as blood–pool contrast agent: Computed tomography evaluation in rabbits, S57; *also see* Lissac, M.; *also see* Ovize, M.
Reznek, R. H., Webb, J. A. W.: Authors' Response, 841
Rhoda, C.: *see* DeSimone, D.
Richardson, M. L.: *see* Lehman, C. D.
Rifkin, M.: Author's response, 1025
Rifkin, M. D.: *see* Mitchell, D. G.; *also see* Vinitski, S.
Rijke, A. M., Goitz, H. T., McCue, F. C., III, Delp, J. L., Lam, D., Southall, E. P.: Graded stress radiography of injured anterior cruciate ligaments, 926
Riley, B. J.: *see* Coblentz, C. L.
Rinck, P. A.: *see* Øksendal, A. N.
Ringertz, H.: *see* Azavedo, E.
Rizkalla, E. N.: *see* White, D. H.
Rjob, S.: *see* Legmann, P.
Roald, H. E.: *see* Lacrum, F.
Rößling, G.: *see* Krause, W.
Rocklage, S.: *see* Kucharczyk, J.
Rockwell, D. T.: *see* Zerin, J. M.
Rodriguez, M.: *see* Grabowski, E. F.
Roeck, W. W.: *see* Molloi, S. Y.
Roig, E.: *see* Pietras, R. J.
Rojas, K. A.: *see* Noma, S.
Romano, M., Di Bello, M., Salmona, M., Piovani, B., Rosati, G.: Effect of iodinated contrast media on the synthesis and metabolism of leukotriene B_4, 348
Romero, J. C.: *see* Lerman, L. O.
Rooholamini, S. A.: *see* Berbaum, K. S.
Ropars, C.: *see* Doucet, D.
Rosati, G.: *see* Romano, M.
Rosen, B. R.: *see* Saini, S.
Rosen, S.: *see* Brezis, M.
Rosenbaum, A. E.: *see* Levy, R. A.
Rosenberg, R. D.: Radiologic measurements, 283
Rosenthal, S. J.: *see* Siegel, E. L.
Roszler, M. H., McCarroll, K. A., Rashid, T., Donovan, K. R., Kling, G. A.: Resident interpretation of emergency computed tomographic scans, 374
Roth, G. M.: *see* Dundore, R. L.
Roux, S. G.: *see* Wolf, G. L.
Rowe, M. I.: *see* Lloyd, D. A.
Rubin, B.: *see* Hicks, M.
Rubin, J. M.: *see* Carson, P. L.
Rubin, R.: *see* Mitchell, D. G.
Rubin, R. T., Phillips, J. J.: Adrenal gland volume determination by computed tomography and magnetic resonance imaging in normal subjects, 465
Rubin, S. J., Feldman, F., Haber, M. M., Staron, R., Alan, J., Dick, H. M.: Magnetic resonance grid analysis of soft tissue lesions, 474
Rubinstein, R.: *see* Morris, T. W.
Rudin, S.: *see* Bednarek, D. R.
Rumberger, J. A.: *see* Lerman, L. O.
Rummeny, E., Ehrenheim, Ch., Gehl, H. B., Hamm, B., Laniado, M., Lodemann, K. P., Schmiedel, E., Steudel, A., Vogl, Th. G.: Manganese-DPDP as a hepatobiliary contrast agent in the magnetic resonance imaging of liver tumors: Results of clinical phase II trials in Germany including 141 patients, S142; *also see* Øksendal, A. N.
Ryals, T. J.: *see* Berbaum, K. S.
Ryan, J. R.: *see* Negendank, W. G.

S

Saccd, M.: *see* Wendland, M. F.
Sachse, A.: *see* Krause, W.
Sadove, A. M.: *see* Maginot, T. J.
Sage, M.: *see* Michael, R.
Sage, M. R., Syme, J.: Training and postgraduate examinations in radiology in Australasia, 761; *also see* Wilson, A. J.
Sahler, L. G.: *see* Katzberg, R. W.
Saini, S., Fretz, C. J., Fisel, C. R., Rosen, B. R., Ferrucci, J. T., Jr.: In vitro evaluation of a mechanical injector for infusion of magnetic resonance contrast media, 748
Saleeb, S. F. N.: *see* Green, W.
Salmona, M.: *see* Romano, M.
Sandor, T.: *see* Zamaroczy, D.
Saponaro, S. A.: *see* Mitchell, D. G.
Saravis, C. A.: *see* Barnhart, J. L.
Sasaki, T.: *see* Honda, E.

Sasaki, Y.: *see* Nakamori, N.
Saud, M., Wendland, M. F., Higgins, C. B.: Characterization of reperfused myocardial infarctions with T1-enhancing and magnetic susceptibility-enhancing contrast media, S239
Saunders, G.: *see* Siu, D.
Schad, L. R.: Author's response, 276
Schaefer, M.: *see* Meyer, D.
Schaefer, S., Lange, R. A., Gutekunst, D. P., Parkey, R. W., Willerson, J. T., Peshock, R. M.: Contrast-enhanced magnetic resonance imaging of hypoperfused myocardium, 551
Schiebler, M. L.: Sectional anatomy by MRI/CT, 850
Schlesinger, A. E.: *see* Zerin, J. M.
Schlief, R., Schürmann, R., Niendorf, H. P.: Blood–pool echo enhancement with SH U 508 A: Results of phase II clinical trials, S188
Schluesener, H. J.: *see* Zamaroczy, D.
Schmiedel, E.: *see* Rummeny, E.
Schmiedl, U. P., Maravilla, K. R., Nelson, J. A.: Improved method for in vivo magnetic resonance contrast media research, 65
Schmitt-Willich, H.: *see* Schuhmann-Giampieri, G.
Schmitz-Rode, T., Günther, R. W.: Percutaneous mechanical thrombolysis: A comparative study of various rotational catheter systems, 557
Schneider, M., Bussat, P., Barrau, M. B., Bodino, F., Gotti, C., Hybl, E., Pelaprat, M. L., Yan, F.: A new ultrasound contrast agent based on biodegradable polymeric microballoons, S190
Scholz, P.: *see* Wang, J.-Z.
Scholz, T. D.: *see* Fleagle, S. R.; *also see* Grover-McKay, M.; *also see* Stuhlmuller, J. E.
Schonfeld, A. R.: *see* Amorosa, J. K.
Schooley, G. L.: *see* Mattrey, R. F.
Schoumann-Clacys, E.: *see* Doucet, D.
Schreiber, M. H.: A generous portion of each, 621
Schreiber, M. H.: Apostrophe, 516
Schreiber, M. H.: Chief complaint, 699
Schreiber, M. H.: Different, 848
Schreiber, M. H.: Executive committee, 913
Schreiber, M. H.: Good, 847
Schreiber, M. H.: Once is enough, 91
Schreiber, M. H.: Paul and Juhl club, 386
Schreiber, M. H.: Retreat, 1026
Schreiber, M. H.: Sit down, 915
Schreiber, M. H.: The active voice, 277
Schreiber, M. H.: The thing itself, 202
Schreiber, M. H.: Ugly organs, 771
Schreiber, M. H.: What I did for love, 385
Schreiber, M. H.: ". . . ma non piu bello", 700
Schroeder, W.: *see* Sebok, D. A.
Schuhmann-Giampieri, G., Krestin, G.: Pharmacokinetics of Gd-DTPA in patients with chronic renal failure, 975
Schuhmann-Giampieri, G., Schmitt-Willich, H., Frenzel, T., Press, W.-R., Weinmann, H.-J.: In vivo and in vitro evaluation of Gd-DTPA-polylysine as a macromolecular contrast agent for magnetic resonance imaging, 969
Schürmann, R.: *see* Schlief, R.
Schweitzer, L.: *see* Sovak, M.
Sebok, D. A., Wilkerson, D., Schroeder, W., Mezrich, R., Zatina, M.: Interleaved magnetic resonance and ultrasound by electronic synchronization, 353
Sechtin, A. G.: *see* Hopper, K. D.
Seltzer, S. E., Janoff, A. S., Blau, M., Adams, D. F., Minchey, S. R., Boni, L. T.: Biodistribution and imaging characteristics of iotrofan-carrying interdigitation-fusion vesicles, S169
Seltzer, S. E., Swensson, R. G., Nawfel, R. D., Lentini, J. F., Kazda, I., Judy, P. F.: Visualization and detection—localization on computed tomographic images, 285; *also see* Janoff, A. S.
Sepponen, R. E.: *see* Lipton, M. J.
Sezai, Y.: *see* Himi, K.
Shaffer, P. B.: *see* Spaeth, H. J.
Shapiro, M. J.: *see* Vinitski, S.
Sharp, D. W.: Fraud: The journal's role concerning fraudulent research, 586
Shaw, C.: *see* Matthay, R. A.
Sheedy, P. F., II: *see* Lerman, L. O.
Sheffer, D. B.: *see* Loughry, C. W.
Shelton, R. E.: *see* Mattrey, R. F.
Shen, Y.: *see* Jiang, Y.
Sherry, A. D.: *see* Butwell, N. B.
Shurla, R., Zhang, X., Tweedle, M.: Probes of relaxivity: In vitro determination of correlation times independent of nuclear magnetic resonance dispersion, S224
Sicard, G.: *see* Hicks, M.
Sickels, W. J.: *see* Berbaum, K. S.
Siegel, E. L., Bishop, M. D., Wetzel, L. H., Anderson, W. F., McMillan, J. H.: Hardcopy recording technologies for digitally formatted image data, 179
Siegel, E. L., Rosenthal, S. J., Gold, R. E., Baxter, K. G., Engelbrecht, D. E., Erdekian, V. V., DiBianca, F. A.: Interactive grayscale display workstations, 479; *also see* Murphey, M. D.
Siegle, R. L., Halvorsen, R. A., Dillon, J., Gavant, M. L., Halpern, E. F.: The use of iohexol in patients with previous reactions to ionic contrast material: A multicenter clinical trial, 411
Silver, P. J.: *see* Dundore, R. L.
Sinclair, P.: *see* Zamir, M.
Siu, D., Derek, T., Cooke, V., Broekhoven, L. D., Lam, M., Fisher, B., Saunders, G., Challis, T. W.: A standardized technique for lower limb radiography: Practice, applications, and error analysis, 71
Skaarup, P.: *see* Thomsen, H. S.
Skinningsrud, K.: *see* Lacrum, F.
Skorton, D. J.: *see* Fleagle, S. R.; *also see* Grover-McKay, M.; *also see* Stuhlmuller, J. E.
Slone, R. M.: Resident selection: Part 1. Information materials, 390
Slone, R. M.: Resident selection: Part 2. Radiology applications, 393
Slone, R. M.: Resident selection: Part 3. The interview, 396
Slopis, J. M.: *see* Narayana, P. A.
Small, K. W.: *see* Kuethe, D. O.
Smith, T. P.: *see* Berbaum, K. S.
Smith, W. L., Berbaum, K. S.: Improving resident selection: Discrimination by perceptual abilities, 910
Smullens, S. N.: *see* Vinitski, S.
Sobel, R. A.: *see* Zamaroczy, D.
Solheim, K. E.: *see* Lacrum, F.
Sostman, H. D., Charles, H. C.: Bone and soft tissue lesions: Diagnosis with combined H-1 MR imaging and P-31 MR spectroscopy, 769; *also see* Iwai, F.; *also see* Munechika, H.
Souney, P. F.: *see* Janosik, J. E.
Southall, E. P.: *see* Rijke, A. M.
Sovak, M.: Iodinated contrast media: State of the art and the thorny path toward reduction of osmolality, S2
Sovak, M., Terry, R. C., Douglass, J. G., Schweitzer, L.: Primary carboxamides: Nonionic isotonic monomers, S159
Spaeth, H. J., Chandnani, V. P., Beltran, J., Lucas, J. G., Ortiz, I., King, M. A., Bennett, W. F., Bova, J. G., Mueller, C. F., Shaffer, P. B.: Magnetic resonance imaging detection of early experimental periostitis: Comparison of magnetic resonance imaging, computed tomography, and plain radiography with histopathologic correlation, 304
Speck, U.: *see* Langer, M.
Spencer, G. S. G.: *see* Aitken, W. M.
Spritzer, C. E.: *see* Iwai, F.
Standertskjöld-Nordenstam, C. G.: *see* Tervahartiala, P.
Stark, D. D.: *see* Tanimoto, A.
Staron, R.: *see* Rubin, S. J.
Starr, F.E., III: *see* Lehman, C. D.
Stein, J. S.: *see* Lloyd, D. A.
Steinbach, G. C.: *see* Mattrey, R. F.
Steinberg, E.: *see* Brinker, J.
Steinberg, E. P., Moore, R. D., Brinker, J. A., Fishman, E. K., Powe, N. R., Graziano, S. L., Gopalan, R.: Nephrotoxicity of low osmolality contrast media versus high osmolality media, S86
Steinberg, H. V.: *see* Torres, W. E.
Sterner, G.: *see* Almén, T.
Steudel, A.: *see* Rummeny, E.
Stites, D. P.: *see* Baxter, A. B.
Stordahl, A.: *see* Lacrum, F.
Stuart, S. P.: *see* Aitken, W. M.
Stuhlmuller, J. E., Scholz, T. D., Olson, J. D., Burns, T. L., Skorton, D. J.: Magnetic resonance characterization of blood coagulation in vitro: Effect of platelet depletion, 343
Sullivan, D. B.: *see* Zerin, J. M.
Sullivan, D. C.: *see* Faulstich, M. E.; *also see* Munechika, H.; *also see* Trahey, G. E.
Sullivan, M. J.: *see* Weidman, E. R.
Summers, R. M., Joseph, P. M., Kundel, H. L.: Sodium nuclear magnetic resonance imaging of neuroblastoma in the nude mouse, 233
Svane, G.: *see* Azavedo, E.
Svendsen, O.: *see* Thomsen, H. S.
Swensson, R. G.: *see* Seltzer, S. E.
Syme, J.: *see* Sage, M. R.
Szep, P.: *see* Michael, R.

T

Takagi, T.: *see* Higashi, T. S.
Takashima, T.: *see* Katayama, H.
Takayama, S.: *see* Furuhama, K.
Takemoto, A.: *see* Himi, K.
Takizawa, K.: *see* Higashi, T. S.
Tanabe, M.: *see* Katayama, H.
Tanimoto, A., Stark, D. D.: Cell-specific contrast agents fail to detect hepatitis, S139
Tanttu, J. I.: *see* Lipton, M. J.
Telepak, R. J.: *see* Cawthon, M. A.
Terio, P.: *see* Andrews, J. C.
Terpstra, O. T.: *see* Brakel, K.
Terry, R. C.: *see* Sovak, M.
Tervahartiala, P., Kivisaari, L., Kivisaari, R., Virtanen, I., Standertskjöld-Nordenstam,

C. G.: Contrast media-induced renal tubular vacuolization: A light and electron microscopic study on rat kidneys, 882
The European Clotting Group: *see* Corot, C.
The Japanese Committee on the Safety of Contrast Media: *see* Katayama, H.
Thedens, D. R.: *see* Fleagle, S. R.
Thelissen, G. R. P.: *see* Merchant, T. E.
Thellman, C.: *see* Wolf, G. L.
Thoeni, R. F.: Clinical applications of magnetic resonance imaging of the liver, 266
Thompson, W. M.: Facing the manpower crisis, 620
Thomsen, H. S., Golman, K., Larsen, S., Hemmingsen, L., Skaarup, P.: Urine profiles and kidney histology following intravenous diatrizoate and iohexol in the degeneration phase of gentamicin nephropathy in rats: Effects on urine and serum profiles, 951
Thomsen, H. S., Golman, K., Svendsen, O., Skaarup, P., Hemmingsen, L., Larsen, S.: Pretreatment with steroids before intravenous injection of diatrizoate or iohexol: Effects on urine and serum profiles, 1083
Thomsen, H. S., Hvid-Jacobsen, K.: Estimation of glomerular filtration rate from low-dose injection of iohexol and a single blood sample, 332
Thomsen, H. S., Vestergaard, A., Nielsen, S. L., Fogh-Andersen, N., Golman, K., Dorph, S.: Renal clearance of an ionic high-osmolar and a nonionic low-osmolar contrast medium, 564
Thomson, C.: *see* Grabowski, E. F.
Thornbury, J. R., Kido, D. K., Mushlin, A. I., Phelps, C. E., Mooney, C., Fryback, D. G.: Increasing the scientific quality of clinical efficacy studies of magnetic resonance imaging, 829
Thorstad, B.: *see* Green, W.
Tilcock, C.: *see* Fritz, T.
Tilcock, C. P., Ahkong, Q. F., Parr, M.: An improved method for the preparation of liposomal gadolinium-DTPA: Ionophore-mediated active entrapment of gadolinium, 242
Tonetti, F. W.: *see* Katzberg, R. W.
Töornquist, C.: *see* Almén, T.
Torres, W. E., Baumgartner, B. R., Jones, M. T., Steinberg, H. V., Peterson, J. E.: Comparison of ultrasonography and oral cholecystography in biliary lithotripsy: I. Screening patients, 633; *also see* Baumgartner, B. R.
Toto, L.: *see* Kundel, H. L.
Trahey, G. E., Freiburger, P. D., Ng, G., Sullivan, D. C.: The impact of acoustic velocity variations on target detectability in ultrasonic images of the breast, 782
Trambert, M. A.: *see* Mattrey, R. F.
Traughber, P. D., Murray, W. T., Johnson, F. G.: Deep soft tissue mass of the thigh, 92
Trombly, S. T.: Disclosure to patients: How far must it go?, 694
Tsubokawa, T.: *see* Himi, K.
Tumeh, S. S.: *see* Janicek, M. J.
Tuthill, T.: *see* Violante, M. R.
Tweedle, M.: *see* Shurla, R.
Tweedle, M. F.: *see* Ranganathan, R. S.

U

Unger, E.: *see* Fritz, T.
Urvoas, E.: *see* Doucet, D.

V

VanWagoner, M., O'Toole, M., Worah, D., Leese, P. T., Quay, S. C.: A phase I clinical trial with gadodiamide injection, a nonionic magnetic resonance imaging enhancement agent, 980
Van Aller, G.: *see* Dundore, R. L.
Van den Abbeele, A. D.: *see* Janicek, M. J.
Van der Laarse, A.: *see* de Roos, A.
Van der Wall, E. E.: *see* de Roos, A.
Van Vaals, J. J.: *see* de Roos, A.
Vaughan, T. J., Fried, A. M.: Categorical course approach to resident teaching in cardiac radiology, 1029
Vergunst, H.: *see* Brakel, K.
Veselik, K.: *see* Pietras, R. J.
Vestergaard, A.: *see* Thomsen, H. S.
Vexler, V. S., Berthezene, Y., Moseley, M. E., Brasch, R. C.: Magnetic resonance imaging enhanced with a macromolecular contrast agent: Detection of the zonal renal ischemia, S131, *also see* Brasch, R. C.
Vexler, Z.: *see* Kucharczyk, J.
Vik, H.: *see* Parvez, Z.
Vinitski, S., Consigny, P. M., Shapiro, M. J., Janes, N., Smullens, S. N., Rifkin, M. D.: Magnetic resonance chemical shift imaging and spectroscopy of atherosclerotic plaque, 703; *also see* Mitchell, D. G.
Violante, M. R., Baggs, R. B., Tuthill, T., Denlinger, P., Parker, K. J.: Particle-stabilized bubbles for enhanced organ ultrasound imaging, S194
Virtanen, I.: *see* Tervahartiala, P.
Vogl, T. J., Paulus, W., Fuchs, A., Krafczyk, S., Lissner, J.: Influence of magnetic resonance imaging on evoked potentials and nerve conduction velocities in humans, 432
Vogl, Th. G.: *see* Rummeny, E.
Von Schulthess, G. K.: *see* Duewell, St.
Vorwerk, D., Zolotas, G., Hessel, S., Adam, G., Wondrazek, F., Günther, R. W.: In vitro ablation of normal and diseased vascular tissue by a fiber-transmitted holmium laser, 660
Vydareny, K. H.: Editorial, 98
Vydareny, K. H.: Editorial, 389
Vydareny, K. H.: Proceedings of the Association of University Radiologists Annual Meeting 1991, 1111

W

Wagner, S.: *see* Krause, W.
Wald, A.: *see* Freimanis, M. G.
Walker, C. W.: *see* Renfrew, D. L.
Wallace, R.: *see* Periasamy, M.
Wallace, R. A.: *see* White, D. H.
Wang, J.-Z., Mezrich, R. S., Scholz, P., Als, A., Douglas, F.: Authors' response, 383
Wang, Y.: *see* Jiang, Y.
Watson, A.: *see* Kucharczyk, J.
Webb, J. A. W.: *see* Reznek, R. H.
Webb, R. C.: *see* Wilson, M. W.
Weber, D. M., Molloi, S. Y., Folts, J. D., Peppler, W. W., Mistretta, C. A.: Geometric quantitative coronary arteriography: A comparison of unsubtracted and dual energy-subtracted images, 649
Wedeking, P.: *see* Ranganathan, R. S.
Wegenius, G.: Model simulations of pulmonary edema: Phantom studies with computed tomography, 149
Wegrzynowicz, R.: *see* Gorczynska, E.
Weidman, E. R., Charles, H. C., Negro-Vilar, R., Sullivan, M. J., MacFall, J. R.: Muscle activity localization with ^{31}P spectroscopy and calculated T2-weighted ^{1}H images, 309
Weimeb, J.: *see* Bernardino, M. E.
Weiner, H. L.: *see* Zamaroczy, D.
Weingarten, K. E.: *see* Mladinich, C. R. J.
Weinmann, H.-J.: *see* Schuhmann-Giampieri, G.
Weiss, G.: *see* Frank, J. A.
Wendland, M. F., Saccd, M., Higgins, C. B.: Strategies for differential enhancement of myocardial ischemia using echoplanar imaging, S236; *also see* Saud, M.
Werthmuller, W. C., Margulis, A. R.: Magnetic resonance imaging of the alimentary tube, 195
Wetzel, L. H.: *see* Siegel, E. L.
Wheatley, M. J.: *see* Kane, N. M.
Wheeler, C. T.: *see* Cohan, R. H.
White, D.: *see* Periasamy, M.
White, D. H., deLearie, L. A., Dunn, T. J., Rizkalla, E. N., Imura, H., Choppin, G. R.: Nuclear magnetic resonance studies of the ligand, DTPA-bis(methoxyethylamide) and its complexes with diamagnetic lanthanide (III) cations, S229
White, D. H., deLearie, L. A., Moore, D. A., Wallace, R. A., Dunn, T. J., Cacheris, W. P., Imura, H., Choppin, G. R.: The thermodynamics of complexation of lanthanide (III) DTPA-bisamide complexes and their implication for stability and solution structure, S226
White, D. L., Eason, R. G., Alkire, A. L., Price, D. C., Hoener, B. A., Milco, L. A., Keen, R. E., Barnhart, J. L.: Hepatic transport of magnetic resonance imaging contrast agents: Ferrioxamine B derivatives, S146
Whitten, C. G.: *see* Renfrew, D. L.
Wilkerson, D.: *see* Sebok, D. A.
Willerson, J. T.: *see* Schaefer, S.
Williams, D. M.: *see* Wilson, M. W.
Willis, C. E.: *see* Cawthon, M. A.
Wilson, A. J., Evill, C. A., Sage, M. R.: Effects of nonionic contrast media on the blood–brain barrier: Osmolality versus chemotoxicity, 1091
Wilson, A. J., Evill, C. A., Sage, M. R.: The influence of low pH on blood–brain barrier effects of intracarotid iopromide, S113
Wilson, A. J., Guindy, M., Evill, C. A., Sage, M. R.: Muscular reactions to femoral angiography with low osmolality contrast media, S115
Wilson, M. W., Webb, R. C., Marx, M. V., Meyer, C. R., Gallagher, M. A., Haarer, S. L., Buda, A. J., Williams, D. M.: Intravascular ultrasound imaging of vascular responsiveness in isolated perfused canine arteries, 248
Wilson-Sanders, S.: *see* Fritz, T.
Wolf, G. L., Halpern, E.: New methods for cost-performance assessment in diagnostic imaging, S12
Wolf, G. L., Mishkin, M. M., Roux, S. G., Halpern, E. F., Gottlieb, J., Zimmerman, J., Gillen, J., Thellman, C.: Comparison of the rates of adverse drug reactions: Ionic contrast agents, ionic agents combined with steroids, and nonionic agents, 404
Wolfkiel, C. J.: *see* Pietras, R. J.
Wondrazek, F.: *see* Vorwerk, D.
Worah, D.: *see* VanWagoner, M.
Wright, K. C.: *see* Mahon, T. G.
Wüthrich, R.: *see* Duewell, St.

X

Xing, S.: *see* Jiang, Y.

Y

Yamada, M.: *see* Higashi, T. S.
Yamaguchi, K.: *see* Katayama, H.
Yan, F.: *see* Schneider, M.
Young, D.: *see* Green, W.
Young, S. W., Andrews, W. A., Muller, H., Constantz, B.: Induction of fracture healing using fibrous calcium phosphate composite spherulites, 470; *also see* Bernardino, M. E.; *also see* Dawson, K. L.; *also see* Mattrey, R. F.

Z

Zakrzewski, C. B.: *see* Debatin, J. F.
Zamaroczy, D., Schluesener, H. J., Jolesz, F. A., Sobel, R. A., Colucci, V. M., Weiner, H. L., Sandor, T.: Differentiation of experimental white matter lesions using multiparametric magnetic resonance measurements, 317
Zamir, M., Sinclair, P.: Origin of the brachiocephalic trunk, left carotid, and left subclavian arteries from the arch of the human aorta, 128
Zatina, M.: *see* Sebok, D. A.
Zeng, G. L.: *see* Gullberg, G. T.
Zerin, J. M., Rockwell, D. T., Garn, S. M., Schlesinger, A. E., Sullivan, D. B.: Carpometacarpal growth disturbance and the assessment of carpal narrowing in children with juvenile rheumatoid arthritis, 727
Zhang, X.: *see* Shurla, R.
Zhao, J.: *see* Jiang, Y.
Zielonka, J.: *see* DeSimone, D.
Zimmerman, J.: *see* Wolf, G. L.
Zolotas, G.: *see* Vorwerk, D.
Zwicker, C., Langer, M., Langer, R., Keske, U.: Comparison of iodinated and noniodinated contrast media in computed tomography, S162; *also see* Langer, M.

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 2, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1991. Title of Publication—INVESTIGATIVE RADIOLOGY; Frequency of Issue—Monthly; Annual Subscription Price—$140.00; Location of Known Office of Publication—100 Insurance Way, Suite 114, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—J.B. Lippincott Company, East Washington Square, Philadelphia, PA 19106; Publisher—J.B. Lippincott Company, 227 East Washington Square, Philadelphia, PA 19106; Editor—Bruce J. Hillman, M.D., Department of Radiology, University of Arizona College of Medicine, Tucson, AZ 85724; Managing Editor—Lynda Krumpholz, 227 East Washington Square, Philadelphia, PA 19106; Owner—J.B. Lippincott Company, 227 East Washington Square, Philadelphia, PA 19106; Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—Wolters Kluwer, U.S. Corporation, 1185 Avenue of the Americas, 37th Floor, New York, NY 10036. A. Total no. copies printed (*net press run*), average 3,117, actual 3,100; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 2,498, actual 2,635; C. Total paid circulation, average 2,498, actual 2,635; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 162, actual 120; E. Total distribution (*sum of C and D*), average 2,660, actual 2,755; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 457, actual 345. Returns from news agents, none; G. Total (*sum of E & F—should equal net press run shown in A*), average 3,117, actual 3,100. I certify that the statements made by me above are correct and complete. J.W. Lippincott, *Publisher*.